

Perfect Hot Water
for Perfect Care of
your Loved Ones



— BATH MODES —



BABY CARE



HAIR CARE



HYGIENE MODE





Over the years, Crompton has spread its wings across markets and consumer products like fans, light sources, luminaries, pumps and households appliances such as geysers, mixer grinders, toasters, irons, etc.

Its state of the art manufacturing units are located in Goa, Vadodara, Ahmednagar and Baddi. With 1,50,000 plus retail points, Crompton aims to establish a positive connect across India through its superior product range.

Experts at its R & D center innovate continuously to enhance convenience by delivering functional product range with stringent quality processes and certification of BEE and ISI.

We have a service network of 365+ touch points to give seamless service throughout the country.











HOW TO CHOOSE YOUR WATER HEATER

Key things you should know when selecting your water heaters

What should be the capacity of the water heater?

The capacity of the water heater depends on the kind of usage:

Instant Water Heater  Bathing - bucket	Instant Water Heater  Washing utensils	Storage Water Heater  Bathing - Shower	Storage Water Heater  Bathing - bucket
 Pleasant weather	 Cold weather	 Pleasant weather	 Cold weather
3 Members	6 Members	4 Members	3 Members
1-3L Suggested Capacity	1-3L Suggested Capacity	6L Suggested Capacity	10-15L Suggested Capacity



Storage Water Heater



Bathing - bucket



Cold weather

6 Members

15L

Suggested Capacity

Storage Water Heater



Bathing - bucket



Pleasant weather

6 Members

6-10L

Suggested Capacity

Storage Water Heater



Bathing - Shower



Cold weather

6 Members

25L

Suggested Capacity



WHY CHOOSE CROMPTON WATER HEATER?

Crompton Care series is recommended by safe health - A global health organisation, which practices & promotes healthy, natural, clean, high quality products.



Perfect Hot Water for Perfect Care



BABY CARE



HAIR CARE



HYGIENE CARE



**1ST TIME IN INDUSTRY CERTIFIED BY
PANEL OF EXPERT DOCTORS.**



STORAGE WATER HEATER

POWERFUL HEATING ELEMENT


Comes with a 1200 gm superior heating element that provides faster heating to give you perfect hot water in 10 mins.

SUPERIOR GLASSLINE TANK COATING

Excellent corrosion resistance ensured by superior glassline coating that ensures durability and longevity of the tank.

SMART SHIELD CORROSION PROTECTION

Crompton's water heaters come with a specially designed sacrificial magnesium anode rod that is designed to protect the inner tank from corrosive elements thus enhancing life of the product.



SUITABLE FOR HIGH-RISE BUILDINGS

High pressure rating and the use of multi-function valve in our models makes our water heaters withstand up to 10 bar pressure, and makes them suitable for high-rise buildings.



5 - STAR RATED ENERGY EFFICIENT

Crompton's 5 Star rated energy efficient water heaters help in reducing your electricity bill substantially.



SMART ENERGY MANAGEMENT

Smart design with Standby cut off that consumes less electricity.



ADVANCED 3 - LEVEL SAFETY

Crompton Water Heaters have advanced 3-level safety that keeps all parameters in check for protection against electric shocks and auto-off function in case of malfunction.



TRIPLE SHIELD PROTECTION

The glass line coated tank, Magnesium Anode, and blue glass lined incoloy element protects the water heater from corrosion oxidation and scaling, thereby giving a longer life.



STORAGE WATER HEATERS



SOLARIUM QUBE IOT

Available in 15L, 25L



Remotely controlled by mobile app



Smart scheduler



Digital temperature display



Smart energy management



Bathing modes for ease of use



Powerful heating element



Pre-set timer



Smart shield corrosion protection



Auto standby mode



Smart color-changing LED indicator



Superior safety system



Nano polybond technology



Energy saving Insitu PUF



Rust & shockproof body

WARRANTY

7yrs
Tank

2yrs
Element


2yrs
Product



Scan the QR code to download MyCROMPTON app
Works on Android as well as IOS



SMART HOME INTEGRATION



SOLARIUM CARE



Available in 6L, 10L, 15L, 25L

- Customised bath modes
- Powerful heating element
- Superior glassline coating
- Advanced 3 level safety
- Colour changing LED indicator
- Smart shield corrosion protection

WARRANTY

7yrs Tank | 3yrs Element | 2yrs Product



recommended by
PANEL OF EXPERT DOCTORS

CUSTOMISED BATHING MODES

BABY CARE

Unique temperature setting that prevents accidental hot water scalds or burns in babies and is ideal for their skin.

HAIR CARE

Unique temperature setting that is best for massaging the scalp with shampoo to get the excess dirt and oil off your hair and thus ensuring a relaxing bath for your hair.

HYGIENE CARE

Unique temperature setting that kills bacteria and viruses inside the water and delivers germ free water for your loved ones.

SOLARIUM NEO

Available in 6L, 10L, 15L, 25L



Superior glassline coating



Powerful incoloy heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

7yrs
Tank

3yrs
Element

2yrs
Product



Triple Shield Technology



Rust proof plastic body



10 Bar pressure



Smart energy management

SOLARIUM EVO

Available in 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

7yrs
Tank

2yrs
Element

2yrs
Product



Rust proof plastic body



8 Bar pressure



Smart energy management

SOLARIUM CLX

Available in 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



LED indicator

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



Rust proof plastic body



8 Bar pressure



Smart energy management

RAPIDJET PLUS

Available in 6L (2kW & 3kW), 10L, 15L



Nano poly bond technology



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



Rust proof plastic body



8 Bar pressure



Smart energy management

VERSA

Available in 6L, 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

7yrs
Tank

2yrs
Element

2yrs
Product



Rust proof plastic body



8 Bar pressure



Smart energy management

REGERA

Available in 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

7yrs
Tank

2yrs
Element

2yrs
Product



Powder coated rust proof body



8 Bar pressure



Smart energy management

HYDRA JET

Available in 6L, 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF




Temperature control knob

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



Rust proof plastic body



8 Bar pressure



Smart energy management

CLASSIC DLX

Available in 6L, 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



Powder coated rust proof body



8 Bar pressure



Smart energy management

CLASSIC

Available in 6L, 10L, 15L, 25L



Nano poly bond technology



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



Powder coated rust proof body



8 Bar pressure

VERSA HORIZONTAL

Available in 10L, 15L, 25L (LHS & RHS)



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

7yrs
Tank

3yrs
Element

2yrs
Product



Rust proof plastic body



8 Bar pressure



Sleek and compact design

RADIANT DLX

Available in 35L, 50L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



Rust proof plastic body



8 Bar pressure



Smart energy management

ARNO NEO

Available in 35L, 50L



Nano poly bond technology



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Temperature dial indicator



Temperature control knob

WARRANTY

7yrs
Tank

2yrs
Element

2yrs
Product



Powder coated rust proof body



8 Bar pressure



Smart Energy management



INSTANT WATER HEATERS



SOLARIUM VOGUE

Available in 3L- 3kW



High grade SS tank for long life



Powerful heating element



Color changing LED indicator



Advanced 4 level safety



Rust & shock proof ABS body



Anti siphon protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



ISI marked for added safety



6.5 Bar pressure



Elegant & stylish design

HYDRA JET

Available in 3L- 3kW



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti siphon protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



ISI marked for added safety



6.5 Bar Pressure



Elegant & stylish design



SOLARIUM NEO

Available in 3L-3kW



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti siphon protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



ISI marked for added safety



6.5 Bar pressure



Elegant & stylish design

RAPID JET

Available in 1L-3kW & 4.5kW , 3L- 3kW & 4.5 kW



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti siphon protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



ISI marked for added safety



6.5 Bar pressure



Elegant & stylish design

RAPID JET 5L

Available in 5L



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti siphon protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product

Perfect Hot Water
within 2mins*



6.5 Bar
Pressure



Elegant &
stylish design

*tested under standard lab conditions

SOLARIUM NEO 5L

Available in 5L



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti siphon protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product

Perfect Hot Water
within 2mins*



6.5 Bar
pressure



Elegant &
stylish design

*tested under standard lab conditions

Crompton

Home Appliances



>

GAS GEYSERS



INSTA ENERGEIA

Available in 6L



Automated double ignition system



1.2kg pure copper heat exchanger



Flame out protection



Over heat protection



20 Minutes gas flow cut-off timer



Child lock safety



Flue duct to avoid smoke scaling, blockage and dry heating



84% thermal efficiency



Summer & winter burner selection



ISI approved



Extra protection with double solenoid valve



Oxygen depletion sensor

WARRANTY

2yrs

Product



IMMERSION ROD



IHL 201 & 251

Available in 1000W & 1500W



Shock proof plastic handle with IP68 protection



Light-Weight



Water level indicator



Heating element with longer life



Powerful pure copper heating element



ISI approved

WARRANTY

2yrs
Product



IHL 201



IHL 251



IHL 402/452

Available in 1000W & 1500W



Shock proof bakelite handle



Light-Weight



Water level indicator



Neon lamp indicator



Heating element with longer life



powerful pure copper heating element



ISI approved

WARRANTY

2yrs
Product



IHL 402/452



WATER HEATER PRODUCT SPECIFICATION

STORAGE										
SERIES	CLASSIC (ASWH-40xx)	CLASSIC DLX (ASWH-53xx)	HYDRAJET (ASWH-47xx)	REGERA (ASWH-38xx)	VERSA (ASWH-35xx)	Rapid Jet Plus (ASWH-XXRPDJT)	SOLARIUM CLX (ASWH-49xx)	SOL_NEO (ASWH-16xx)	SOL EVO (ASWH-36xx)	SOLARIUM CARE (ASWH-39xx)
ADVANCE FEATURES										
Pressure Rating	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	10 BAR	8 BAR	8 Bar
TANK	Safety Valve	✓	✓	✓	✓			✓	✓	✓
	MS_Glassline Coating									
	MS_Polymer Coating	✓				✓	✓			
	SS									
Heating Element	Incoloy + GL Coating									
	Copper + Ni Coating	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Advance Microprocessor Sensing									
Thermostat (Auto)	High precision Capillary	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Stem Mechanical									
Temp Control Mode	Temp Adjustable Knob	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Touch Sensor									
Thermal Cut_off	High precision Capillary	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Stem Mechanical									
	Mechanical - Disc									
Anode Rod	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mounting	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical
	BEE 4 Star	BEE 5 Star, ISI	BEE 5 Star	BEE 5 Star	BEE 5 Star	BEE 5 Star	BEE 5 Star	BEE 5 Star	BEE 5 Star	BEE 5 Star
SPECIFICATIONS										
Power (W)	2000W	2000W	2000W	2000W	2000W	2000W/3000W	2000W	2000W	2000W	2000W
Capacity (Litres)	6L, 10L, 15L, 25L	6L, 10L, 15L, 25L	6L, 10L, 15L, 25L	6L, 10L, 15L, 25L	6L, 10L, 15L, 25L	6L, 10L, 15L	10L, 15L, 25L	6L, 10L, 15L, 25L	10L, 15L, 25L	6L, 10L, 15L, 25L
Reheating Time (max)				12 Min - 6L, 18 Min - 10L, 28 Min - 15L, 45 Min - 35L, 105 Min - 50L						
AESTHETICS										
Color	White	White	White	White	White	White	White	Ivory	Ivory	White
Body	Plastic + Sheet Metal	Plastic + Sheet Metal	Plastic	Plastic+SheetMetal	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic
WARRANTY										
Tank	5	5	5	7	7	5	5	7	7	7
Heating Element	2	2	2	2	2	2	2	3	2	3
Product	2	2	2	2	2	2	2	2	2	2
Dimensions (in mm)	275 x 290 x 330 - 06L 315 x 330 x 362 - 10L 315x 330 x 462 - 15L 360x 375 x 542 - 25L	300 x 315 x 365 - 6L 340 x 365 x 380 - 10L 340 x 365 x 490 - 15L 360 x 375 x 545 - 25L	290 x 310 x 390 -06L 325 x 345 x 420 -10L 365 x 385 x 455 - 15L 365 x 385 x 545 - 25L	320 x 335 x 445 - 10L 365 x 380 x 464 - 15L 365 x 380 x 600 - 25L	280 x 300 x 355mm-06L 335 x 360 x 380mm-10L 335 x 360 x 495 mm - 15L 380 x 405 x 545 mm - 25L	335x275x310 -06L2kW 335x275x310 -06L3kW 330x350x365 -10L2kW 370x385x385 -15L2kW	390 x 330 x 430 - 10L 390 x 390 x 430 - 15L 475 x 420 x 520 - 25L	270 x 290 x 370 - 06L 310 X 290 X 460 - 10L 310 x 290 x 490 - 15L 370 x 380 x 610 - 25L	390 x 280 x 415 - 10L 390 x 360 x 415 - 15L 460 x 390 x 490 - 25L	335 x 295 x 385 - 6L 390 x 345 x 430 - 10L 390 x 415 x 430 - 15L 475 x 435 x 520 - 25L
Net Weight (in Kgs)	5.2 Kgs - 06L 6.2 Kgs - 10L 7.8 Kgs - 15L 9.5 Kgs - 25L	6.7 Kgs - 6L 7.6 Kgs - 10L 9.5 Kgs - 15L 11.7 Kgs - 25L	7.19 Kg - 10L 8.75 Kg - 15L 10.80 Kg - 25L	7.6 Kgs - 10L 9.2 Kgs - 15L 11.3 Kgs - 25L	5.5 Kgs - 06L 6.65 Kgs - 10L 8.25 Kgs - 15L 10 Kgs - 25L	5.5 Kgs - 06L 2kW 5.6 Kgs - 06L 3kW 6.5 Kgs - 10L 2kW 7.3 Kgs - 15L 2kW	8.2 Kgs - 10L 9.7 Kgs - 15L 12.6 Kgs - 25L	5.7 Kgs - 6L 7.3 Kgs - 10L 9.2 Kgs - 15L 13.1 Kgs - 25L	8.0 Kgs- 10L 8.9 Kgs - 15L 11.7 Kgs - 25L	6.4 Kgs - 6L 8.2 Kgs - 10L 9.4 Kgs - 15L 12.3 Kgs - 25L

*Above Specs are reference purpose only (subject to change as per manufacturer)

WATER HEATER PRODUCT SPECIFICATION

SERIES	STORAGE			INSTANT				HORIZONTAL
	SOLARIUM QUBE IOT (ASWH-33xx)	RADIANT DLX (ASWH-27xx)	ARNO NEO (ASWH-43xx)	RAPIDJET (AIWH-3LRPIDJT3kW5Y)	SOL NEO (AIWH-3LSOLNEO3kW5Y)	HYDRAJET (AIWH-3LHYDRAJET3kW)	SOL VOGUE (AIWH-3LSOLVOG3kW5Y)	
ADVANCE FEATURES	Pressure Rating	8 Bar	8 BAR	8 BAR	6.5 BAR	6.5 BAR	6.5 BAR	8 BAR
	TANK	Safety Valve	✓	✓				✓
		MS_Glassline Coating						
		MS_Polymer Coating				✓	✓	✓
Heating Element	SS							
	Incoloy + GL Coating							
	Copper + NI Coating	✓	✓	✓	✓	✓	✓	
	Advance Microprocessor Sensing	✓	✓	✓				
Thermostat (Auto)	High precision Capillary	✓	✓	✓				
	Stem Mechanical							
	Temp Adjustable Knob	✓	✓	✓	✓	✓	✓	
Temp Control Mode	Touch Sensor							
	High precision Capillary	✓	✓	✓				
Thermal Cut_off	Stem Mechanical							
	Mechanical - Disc							
	MgO	✓	✓	✓				
Anode Rod	Position on Wall	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	
	BEE /ISI	BEE 5 Star	BEE 3 Star	BEE 3 Star	ISI	ISI	ISI	
SPECIFICATIONS	Power (W)	2000W	2000W	2000W	3000W/4500W	3000W	3000W	2000W
	Capacity (Liters)	15L, 25L	35L, 50L	35L, 50L	1L, 3L, 5L	3L, 5L	3L	10L, 15L, 25L
	Reheating Time (max)	12 Min - 6L, 18 Min - 10L, 28 Min - 15L, 45 Min - 25L, 85 Min - 35L, 105 Min - 50L						
AESTHETICS	Color	White	White	Grey	White	Ivory	White	White
	Body	Plastic	Plastic	Plastic-Sheet Metal	Plastic	Plastic	ABS	Plastic
WARRANTY	Tank	7	5	7	5	5	5	7
	Heating Element	2	2	2	2	2	2	3
	Product	2	2	2	2	2	2	2
Dimensions (in mm)	400 x 390 x 405 - 15L 465 x 390 x 495 - 25L	460 x 470 x 600 - 35L 460 x 470 x 760 - 50L	400 x 418 x 595 - 35L 400 x 418x/782 - 50L	205 x 212 x 405 -5L 205 x 190 x 365 -3L 170x 145 x 320 - 1L	210 x 210 x 430 -5L 190 x 190 x 385 - 3L	190 x 185 x 375 - 3L	190 x 190 x 385 - 3L	320 x 325 x 490 - 10L 320 x 325 x 600 - 15L 320 x 325 x 880 - 25L
Net Weight (in Kgs)	8 Kgs - 15L 10 Kgs - 25L	14.4 Kgs - 35L 16.8 Kgs - 50L	11.4 Kgs - 35L 14.3 Kgs - 50L	3.0 Kgs- 5L 2.5 Kgs- 3L 2 Kgs - 1L	2.8 Kgs- 5L 2.7 Kgs- 3L	2.4 Kgs- 3L	2.8 Kgs - 3L	8.4 Kgs - 10L 10.0 Kgs - 15L 13.8 Kgs - 25L

*Above Specs are reference purpose only (subject to change as per manufacturer)

Crompton

CUSTOMER SERVICE

In Crompton, through our commitment to service, we aim to exceed expectations and get rewarded with a smile. Our after-sales service team is dedicated to deliver excellent services and meet unique customer needs.



Crompton service executive will schedule a service appointment within 24 hours of your calling to our toll-free number **1800-419-0505**.



Once the service appointment is fixed, our qualified and trained Crompton service technician will visit & your product problem will be resolved within **24 to 48 Hours**.



All india whatsapp helpline number **7428713830** with 24 hours open **chat bot** access.



Scan QR for registration of warranty, installation, and services on our website in seconds.

Easy & Interactive | Instant Complaint Registration | Seamless Experience

CROMPTON GREAVES CONSUMER ELECTRICALS LIMITED

Registered Office:

Equinox Business Park, 1st Floor, Tower 3, LBS Marg, Kurla (W), Mumbai-400 070, India

Disclaimer – While every effort has been taken to ensure that all specifications and description are correct, this brochure should not be regarded as infallible guide not as an offer of sales for a particular product. Due to variables in production process, colours of actual products may vary slightly from those depicted. Model numbers and specifications are for reference only, may subject to change without prior notice. Free installation on select models of water heater and select locations only.