




Laundry
Kitchen
Living
Care





**Wash with
confidence**

Not just a washing machine, it's a laundry machine!

IFB LAUNDRIMAGIC®

India's 3 in 1 Laundry Machine
WASH | DRY | REFRESH



Silver

Not just a washing machine a laundry machine

Presenting

IFB LAUNDRIMAGIC®

India's first washer, dryer, refresher—all in one.



WASHER

Innovation and experience give you excellent results. Our wash programs are tough on germs and tender on fabrics.



9 SWIRL WASH

Best Care for your clothes with 9 unique drum movements.



TURBO SPRAY

Soaks fabrics deeply and rinses them uniformly with 3D Wash.



ECO INVERTER

Silent and efficient performance with our motor.


**AQUA
ENERGIE**


**2x
POWER
STEAM**


**WiFi & VOICE
ENABLED**


**ENERGY
SAVINGS**



DRYER

DON'T WAIT ON THE WEATHER!

Drying made easy with multiple options—100% dry, ready to iron and more.



Cupboard Dry



Time Dry



Iron Dry



Gentle Dry



Eco Dry (via app)



Scan QR code for drying modes



REFRESHER

STEAM SPA FOR YOUR CLOTHES

Don't waste time on dry cleaning!

Extra special care for your lacy dress, precious Pashmina, favourite blouse or heirloom saree. Garments you'd normally hesitate to machine wash—our Refresh steam cycle is the ideal way to take care of them.



Scan QR code to see the Refresh cycle in action



ADD AN AROMA...

Transport yourself to a misty morning or enjoy a fresh sea breeze with IFB essentials Sensitive in-wash fragrances.

USE with Wash or Refresh programs



Executive ZXM 8.5/6.5/2.5 1400RPM



Executive ZXS 8.5/6.5/2.5 1400RPM

CAPACITY KG RPM	8.5 WASH, 6.5 DRY, 2.5 REFRESH 1400	8.5 WASH, 6.5 DRY, 2.5 REFRESH 1400
AESTHETICS Body Colour Door Colour Controls	Mocha Black with Chrome Touch Controls with Knob	Silver Black with Chrome Touch Controls with Knob
KEY FEATURES Steam Aqua Energie Crescent Moon Drum Wash System Refresh Drum Lamp Eco Inverter Motor WiFi & Voice Enabled	Yes Yes Yes 3D + Turbo Spray Yes Yes Yes Yes	Yes Yes Yes 3D + Turbo Spray Yes Yes Yes Yes
NUMBER OF WASH PROGRAMS	14	14
WASH PROGRAMS Wash + Dry 2 Hr Wash + Dry 4 Hr Spin & Dry Refresh Power Steam® Cradlewash® Wool Bulky Baby Wear Anti Allergen Synthetic Cotton Mix/Daily Express 15	Yes  Yes  Yes  Yes  Yes  Yes Yes Yes  Yes  Yes  Yes  Yes  Yes  Yes	Yes  Yes  Yes  Yes  Yes  Yes Yes Yes  Yes  Yes  Yes  Yes  Yes  Yes
WASH PROGRAM OPTIONS Steam Aroma Time Saver Pre Wash Soak Extra Rinse Rinse Hold Time Delay Temperature Range for Hot Wash Spin Speed Favourites	Yes Yes Yes Yes Yes Yes Yes Yes Yes Cold, 20°C, 30°C, 40°C, 60°C, 95°C No Spin, 400, 600, 800, 1000, 1200, 1400 Yes	Yes Yes Yes Yes Yes Yes Yes Yes Yes Cold, 20°C, 30°C, 40°C, 60°C, 95°C No Spin, 400, 600, 800, 1000, 1200, 1400 Yes
DRYING OPTION Iron Dry Cupboard Dry Gentle Dry Time Dry Eco Dry 	Yes Yes Yes Yes Yes—App	Yes Yes Yes Yes Yes—App
DIMENSIONS Net Weight Kg Size (W X D X H) mm	75 598 X 606 X 875	75 598 X 606 X 875

 Additional options on My IFB App
My IFB Eco Wash, Tub Clean, Delay Start and Hot Rinse


 indicates program with Steam option

INTRODUCING FRONT LOAD WASHERS WITH **POWER STEAM[®]**

Gentle + tough cleaning for all your clothes with our unique **2x Power Dual Steam Cycle** that's more hygienic than handwashing!

1x At the start of the wash cycle, steam eases out dirt and gets rid of hidden germs.

2x The wash cycle ends with gentle waves of steam softening the fabric's fibres.



99.99% germ-free, soft clothes



CRADLEWASH[®]

Do you hand wash your delicates?


Go on! Put them in the machine, it's safer than hand washing. Cherish your specials with CradleWash[®] —India's first wash program for delicates.



AQUA ENERGIE

Are there chalky marks on your dark fabrics?

They are caused by hard water and can be easily taken care of by the Aqua Energie feature, which filters out calcium build up, enabling better detergent action and preventing fading.



Loaded with more

CLEANER
99.99% germ free
2X POWER DUAL STEAM CYCLE

BIGGER
wash loads
9 KG CAPACITY

ECO INVERTER MOTOR | 9 SWIRL WASH | LARGE CAPACITY | POWER STEAM® | STEAM REFRESH | TOUCH CONTROL



4D
WASH

3D/4D WASH


Is the detergent not mixing well with water?

Water from 3 different directions showers your fabrics and ensures proper dissolving of detergent. And if you want it faster, our 4D Wash does the same thing even quicker!

TIME SAVER

Clothes not too dirty? A shirt you wore for a little while? Gym clothes?

Use this program—it reduces wash time by 45%, protects your fabrics from over washing and saves water, power, detergent and time.



AUTO TUB
CLEAN



LAUNDRY ADD
OPTION



CRESCENT
MOON DRUM



DIVA AQUA VSS

DIVA AQUA BXS

DIVA AQUA SXS

DIVA AQUA SBS

DIVA PLUS BXS

DIVA PLUS VXS

NEO DIVA SXS

CAPACITY KG RPM	6 800	6 800	6 800
AESTHETICS			
Body Colour	White	White	Silver
Door Colour	White	Black	Silver
KEY FEATURES			
Steam	Yes	Yes	Yes
Aqua Energie	Yes	Yes	Yes
Wash System 2D/3D/4D	2D	2D	2D
O2 Bubble Wash	No	No	No
Anti-crease Cycle	Yes	Yes	Yes
9 Swirl Wash	No	No	No
Eco Inverter Motor	No	No	No
Refresh	No	No	No
Drum Lamp	No	No	No
NUMBER OF WASH PROGRAMS	8	8	8
WASH PROGRAMS			
Express Wash/Quick Wash	Yes	Yes	Yes
Hygiene/Anti-allergen	No	No	No
Cradlewash® for Delicates	Yes	Yes	Yes
Baby Wear	No	No	No
Mixed/Daily/Soiled	Yes	Yes	Yes
Mixed Soiled+	No	No	No
Cotton Normal	Yes	Yes	Yes
Synthetic	No	No	No
Bulky/Bedding/Curtains/Duvet	No	No	No
Refresh	No	No	No
Sports Wear/Fitness Wear	No	No	No
Uniform	No	No	No
Others	Cotton ECO, Woollens, Additives/Rinse, Drain+Spin	Cotton ECO, Woollens, Additives/Rinse, Drain+Spin	Cotton ECO, Woollens, Additives/Rinse, Drain+Spin
WASH PROGRAM OPTIONS			
Steam	Yes	Yes	Yes
Prewash	No	No	No
Soak	No	No	No
Temperature Range for Hot Wash	Cold>Warm>Hot	Cold>Warm>Hot	Cold>Warm>Hot
Spin Speed	No Spin, 400, 600, 800	No Spin, 400, 600, 800	No Spin, 400, 600, 800
Others	—	—	—
DIMENSIONS			
Net Weight Kg	60	60	60
Size (W X D X H) mm	598 X 506 X 875	598 X 506 X 875	598 X 506 X 875

6 800	6 800	6 800	6 1000
Silver	White	White	Silver
Black	Black	White	Silver
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
2D	2D	2D	2D
No	No	No	No
Yes	No	No	Yes
No	No	No	No
No	No	No	No
No	No	No	No
8	15	15	10
Yes	Yes	Yes	Yes
No	No	No	No
Yes	Yes	Yes	Yes
No	No	No	Yes
Yes	Yes	Yes	Yes
No	No	No	No
Yes	Yes	Yes	Yes
No	Yes	Yes	Yes
No	No	No	No
No	No	No	No
No	No	No	No
Cotton ECO, Woollens, Additives/Rinse, Drain+Spin	Cotton 40°C, 60°C, 90°C Cotton ECO 40°C, 60°C, Rinse+Spin, Spin, Woollens, Synthetic 40°C, 60°C	Cotton 40°C, 60°C, 90°C Cotton ECO 40°C, 60°C, Rinse+Spin, Spin, Woollens, Synthetic 40°C, 60°C	Cotton ECO Plus, Woollens, Spin Dry/Drain, Rinse+Spin
Yes	Yes	Yes	Yes
No	Yes	Yes	Yes
No	No	No	No
Cold>Warm>Hot	Cold>Warm>Hot	Cold>Warm>Hot	Cold, 30°C, 40°C, 60°C, 95°C
No Spin, 400, 600, 800	No Spin, 400, 600, 800	No Spin, 400, 600, 800	No Spin, 400, 600, 800, 1000
—	Extra Rinse	Extra Rinse	—
60	60	60	60
598 X 506 X 875	598 X 506 X 875	598 X 506 X 875	597 X 513 X 875

SAFETY FEATURES Child Lock, High-Low Voltage Protection, Self Diagnosis, Auto Imbalance Control, Protective Rat Mesh, Foam Detection, Auto Restart

indicates program with Steam option



	NEO DIVA VXS	EVA PLUS ZWS	ELENA SBS
CAPACITY KG RPM	6 1000	6 1000	6.5 1000
AESTHETICS			
Body Colour	White	White	Silver
Door Colour	White	Black with Chrome	Black
KEY FEATURES			
Steam	Yes	Yes	Yes
Aqua Energie	Yes	Yes	Yes
Wash System 2D/3D/4D	2D	2D	2D
O2 Bubble Wash	No	No	No
Anti-crease Cycle	Yes	Yes	No
9 Swirl Wash	No	No	No
Eco Inverter Motor	No	No	No
Refresh	No	No	No
Drum Lamp	No	No	No
NUMBER OF WASH PROGRAMS	10	10	15
WASH PROGRAMS			
Express Wash/Quick Wash	Yes	Yes	Yes
Hygiene/Anti-allergen	No	No	No
Cradlewash® for Delicates	Yes	Yes	Yes
Baby Wear	Yes	Yes	No
Mixed/Daily/Soiled	Yes	Yes	Yes
Mixed Soiled+	No	No	No
Cotton Normal	Yes	Yes	Yes
Synthetic	Yes	Yes	Yes
Bulky/Bedding/Curtains/Duvet	No	No	No
Refresh	No	No	No
Sports Wear/Fitness Wear	No	No	No
Uniform	No	No	No
Others	Woollens, Cotton ECO Plus, Spin Dry/Drain, Rinse+Spin	Woollens, Cotton ECO Plus, Spin Dry/Drain, Rinse+Spin	Cotton 60°C, 40°C, 90°C, Cotton ECO 40°C, 60°C, Rinse+Spin, Spin, Woollens, Synthetics Cold 40°C, 60°C
WASH PROGRAM OPTIONS			
Steam	Yes	Yes	Yes
Prewash	Yes	Yes	Yes
Soak	No	No	No
Temperature Range for Hot Wash	Cold, 30°C, 40°C, 60°C, 95°C	Cold, 30°C, 40°C, 60°C, 95°C	Cold>Warm>Hot
Spin Speed	No Spin, 400, 600, 800, 1000	No Spin, 400, 600, 800, 1000	No Spin, 400, 600, 800, 1000
Others	—	Rinse Hold	Extra Rinse, Delay Start
DIMENSIONS			
Net Weight Kg	60	60	60
Size (W X D X H) mm	597 X 513 X 875	598 X 518 X 875	598 X 506 X 875

SAFETY FEATURES Child Lock, High-Low Voltage Protection, Self Diagnosis, Auto Imbalance Control, Protective Rat Mesh, Foam Detection, Auto Restart

	ELENA SXS	ELENA PLUS SXS	SENIORITA VXS	SENIORITA SXS
CAPACITY KG RPM	6.5 1000	6.5 1000	6.5 1000	6.5 1000
AESTHETICS				
Body Colour	Silver	Silver	White	Silver
Door Colour	Silver	Silver	Black	Black
KEY FEATURES				
Steam	Yes	Yes	Yes	Yes
Aqua Energie	Yes	Yes	Yes	Yes
Wash System 2D/3D/4D	2D	2D	3D	3D
O2 Bubble Wash	No	No	No	No
Anti-crease Cycle	No	Yes	Yes	Yes
9 Swirl Wash	No	No	No	No
Eco Inverter Motor	No	No	No	No
Refresh	No	No	No	No
Drum Lamp	No	No	No	No
NUMBER OF WASH PROGRAMS	15	10	10	10
WASH PROGRAMS				
Express Wash/Quick Wash	Yes	Yes	Yes	Yes
Hygiene/Anti-allergen	No	No	No	No
Cradlewash® for Delicates	Yes	Yes	Yes	Yes
Baby Wear	No	Yes	Yes	Yes
Mixed/Daily/Soiled	Yes	Yes	Yes	Yes
Mixed Soiled+	No	No	No	No
Cotton Normal	Yes	Yes	Yes	Yes
Synthetic	Yes	Yes	Yes	Yes
Bulky/Bedding/Curtains/Duvet	No	No	No	No
Refresh	No	No	No	No
Sports Wear/Fitness Wear	No	No	No	No
Uniform	No	No	No	No
Others	Cotton 60°C, 40°C, 90°C, Cotton ECO 40°C, 60°C, Rinse+Spin, Spin, Woollens, Synthetics 40°C, 60°C	Cotton ECO Plus, Woollens, Spin Dry/Drain, Rinse+Spin	Cotton ECO Plus, Woollens, Spin Dry/Drain, Rinse+Spin	Cotton ECO Plus, Woollens, Spin Dry/Drain, Rinse+Spin
WASH PROGRAM OPTIONS				
Steam	Yes	Yes	Yes	Yes
Prewash	Yes	Yes	Yes	Yes
Soak	No	No	No	No
Temperature Range for Hot Wash	Cold>Warm>Hot	Cold, 30°C, 40°C, 60°C, 95°C	Cold, 30°C, 40°C, 60°C, 95°C	Cold, 30°C, 40°C, 60°C, 95°C
Spin Speed	No Spin, 400, 600, 800, 1000	No Spin, 400, 600, 800, 1000	No Spin, 400, 600, 800, 1000	No Spin, 400, 600, 800, 1000
Others	Extra Rinse	Rinse Hold	—	—
DIMENSIONS				
Net Weight Kg	60	60	60	60
Size (W X D X H) mm	598 X 506 X 875	598 X 506 X 875	597 X 518 X 875	597 X 518 X 875

indicates program with Steam option



	SENORITA WSS	ELENA ZWS	ELENA ZSS
CAPACITY KG RPM	6.5 1000	6.5 1000	6.5 1000
AESTHETICS			
Body Colour	Silver	White	Silver
Door Colour	Black with Chrome	Black	Black with Chrome
KEY FEATURES			
Steam	Yes 	Yes 	Yes 
Aqua Energie	Yes	Yes	Yes
Wash System 2D/3D/4D	3D	3D	3D
O2 Bubble Wash	No	No	No
Anti-crease Cycle	Yes	Yes	Yes
9 Swirl Wash	No	No	No
Eco Inverter Motor	No	No	No
Refresh	No	No	No
Drum Lamp	No	No	No
NUMBER OF WASH PROGRAMS	14	10	10
WASH PROGRAMS			
Express Wash/Quick Wash	Yes	Yes	Yes
Hygiene/Anti-allergen	Yes 	No	No
Cradlewash® for Delicates	Yes	Yes	Yes
Baby Wear	Yes 	Yes 	Yes 
Mixed/Daily/Soiled	Yes 	Yes 	Yes 
Mixed Soiled+	No	No	No
Cotton Normal	Yes 	Yes 	Yes 
Synthetic	Yes	Yes 	Yes 
Bulky/Bedding/Curtains/Duvet	Yes	No	No
Refresh	No	No	No
Sports Wear/Fitness Wear	Yes	No	No
Uniform	No	No	No
Others	Cotton ECO Plus, Woollens, Tub Clean, Rinse+Spin, Spin Dry/Drain	Cotton ECO Plus, Woollens, Spin Dry/Drain, Rinse+Spin	Cotton ECO Plus, Woollens, Spin Dry/Drain, Rinse+Spin
WASH PROGRAM OPTIONS			
Steam	Yes	Yes	Yes
Prewash	Yes	Yes	Yes
Soak	Yes	Yes	Yes
Temperature Range for Hot Wash	Cold, 30°C, 40°C, 60°C, 95°C	Cold, 30°C, 40°C, 60°C, 95°C	Cold, 30°C, 40°C, 60°C, 95°C
Spin Speed	No Spin, 400, 600, 800, 1000	No Spin, 400, 600, 800, 1000	No Spin, 400, 600, 800, 1000
Others	Extra Rinse, Time Saver, Time Delay	Extra Rinse, Time Saver, Time Delay	Extra Rinse, Time Saver, Time Delay
DIMENSIONS			
Net Weight Kg	66	60	60
Size (W X D X H) mm	598 X 518 X 875	597 X 518 X 875	597 X 518 X 875

SAFETY FEATURES Child Lock, High-Low Voltage Protection, Self Diagnosis, Auto Imbalance Control, Protective Rat Mesh, Foam Detection, Auto Restart

	NEO DIVA VXS	NEO DIVA BXS	NEO DIVA WSS	NEO DIVA SXS
7 1000	7 1000	7 1000	7 1000	7 1000
White	White	White	White	Silver
White	White	Black	Silver	Silver
Yes 	Yes 	Yes 	Yes 	Yes 
Yes	Yes	Yes	Yes	Yes
3D	3D	3D	3D	3D
No	No	No	No	No
Yes	Yes	Yes	Yes	Yes
No	No	No	No	No
No	No	No	No	No
No	No	No	No	No
No	No	No	No	No
10	10	10	10	10
Yes	Yes	Yes	Yes	Yes
No	No	No	No	No
Yes	Yes	Yes	Yes	Yes
Yes 	Yes 	Yes 	Yes 	Yes 
Yes 	Yes 	Yes 	Yes 	Yes 
No	No	No	No	No
Yes 	Yes 	Yes 	Yes 	Yes 
Yes 	Yes 	Yes 	Yes 	Yes 
No	No	No	No	No
No	No	No	No	No
No	No	No	No	No
No	No	No	No	No
Woollens, Cotton ECO Plus, Spin Dry/Drain, Rinse+Spin	Woollens, Cotton ECO Plus, Spin Dry/Drain, Rinse+Spin	Woollens, Cotton ECO Plus, Spin Dry/Drain, Rinse+Spin	Woollens, Cotton ECO Plus, SpinDry/Drain, Rinse+Spin	Woollens, Cotton ECO Plus, SpinDry/Drain, Rinse+Spin
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
No	No	No	No	No
Cold, 30°C, 40°C, 60°C, 95°C	Cold, 30°C, 40°C, 60°C, 95°C	Cold, 30°C, 40°C, 60°C, 95°C	Cold, 30°C, 40°C, 60°C, 95°C	Cold, 30°C, 40°C, 60°C, 95°C
No Spin, 400, 600, 800, 1000	No Spin, 400, 600, 800, 1000	No Spin, 400, 600, 800, 1000	No Spin, 400, 600, 800, 1000	No Spin, 400, 600, 800, 1000
—	—	—	—	—
60	60	60	60	60
597 X 613 X 875	597 X 613 X 875	597 X 613 X 875	597 X 613 X 875	597 X 613 X 875

 indicates program with Steam option



	ELITE ZSS	ELITE MXS	SERENA ZSS
CAPACITY KG RPM	7 1200	7 1200	7 1000
AESTHETICS			
Body Colour	Silver	Mocha	Silver
Door Colour	Black with Chrome	Black with Chrome	Black
KEY FEATURES			
Steam	Yes	Yes	Yes
Aqua Energie	Yes	Yes	Yes
Wash System 2D/3D/4D	3D	3D	3D
O2 Bubble Wash	No	No	No
Anti-crease Cycle	Yes	Yes	Yes
9 Swirl Wash	No	No	No
Eco Inverter Motor	No	No	No
Refresh	No	No	No
Drum Lamp	No	No	No
NUMBER OF WASH PROGRAMS	12	12	12
WASH PROGRAMS			
Express Wash/Quick Wash	Yes	Yes	Yes
Hygiene/Anti-allergen	Yes	Yes	Yes
Cradlewash® for Delicates	Yes	Yes	Yes
Baby Wear	Yes	Yes	Yes
Mixed/Daily/Soiled	No	Yes	Yes
Mixed Soiled+	Yes	No	No
Cotton Normal	Yes	Yes	Yes
Synthetic	Yes	Yes	Yes
Bulky/Bedding/Curtains/Duvet	No	No	Yes
Refresh	No	No	No
Sports Wear/Fitness Wear	Yes	Yes	No
Uniform	No	No	No
Others	Woollens, Cotton ECO Plus, Rinse+Spin, Spin Dry/Drain	Cotton ECO Plus,Woollens, Spin Dry/Drain, Rinse+Spin	Cotton ECO Plus, Woollens, Spin Dry/Drain, Rinse+Spin
WASH PROGRAM OPTIONS			
Steam	Yes	Yes	Yes
Prewash	Yes	Yes	Yes
Soak	Yes	Yes	No
Temperature Range for Hot Wash	Cold, 30°C, 40°C, 60°C, 95°C	Cold, 30°C, 40°C, 60°C, 95°C	Cold, 30°C, 40°C, 60°C, 95°C
Spin Speed	No Spin, 400, 600, 800, 1000, 1200	No Spin, 400, 600, 800, 1000, 1200	No Spin, 400, 600, 800, 1000
Others	Extra Rinse, Rinse Hold, Time Saver, Time Delay	Extra Rinse, Rinse Hold, Time Saver, Time Delay	—
DIMENSIONS			
Net Weight Kg	72	72	71
Size (W X D X H) mm	598 X 623 X 875	598 X 623 X 875	597 X 618 X 875

SAFETY FEATURES Child Lock, High-Low Voltage Protection, Self Diagnosis, Auto Imbalance Control, Protective Rat Mesh, Foam Detection, Auto Restart

	ELITE PLUS WSS	SENATOR MXS	SENATOR PLUS VXS	SENATOR PLUS SRS
CAPACITY KG RPM	7 1200	8 1200	8 1200	8 1200
AESTHETICS				
Body Colour	Silver	Mocha	White	Silver
Door Colour	Black with Chrome	Black with Chrome	Black	Black with Chrome
KEY FEATURES				
Steam	Yes	Yes	Yes	Yes
Aqua Energie	Yes	Yes	Yes	Yes
Wash System 2D/3D/4D	3D	3D	4D	3D
O2 Bubble Wash	No	No	No	No
Anti-crease Cycle	Yes	Yes	Yes	Yes
9 Swirl Wash	No	No	No	No
Eco Inverter Motor	No	No	No	No
Refresh	No	No	No	No
Drum Lamp	No	No	No	Yes
NUMBER OF WASH PROGRAMS	14	14	14	14
WASH PROGRAMS				
Express Wash/Quick Wash	Yes	Yes	Yes	Yes
Hygiene/Anti-allergen	Yes	Yes	Yes	Yes
Cradlewash® for Delicates	Yes	Yes	Yes	Yes
Baby Wear	Yes	Yes	Yes	Yes
Mixed/Daily/Soiled	Yes	Yes	Yes	Yes
Mixed Soiled+	No	No	Yes	Yes
Cotton Normal	Yes	Yes	Yes	Yes
Synthetic	Yes	Yes	Yes	Yes
Bulky/Bedding/Curtains/Duvet	Yes	Yes	Yes	Yes
Refresh	No	No	No	No
Sports Wear/Fitness Wear	Yes	Yes	No	No
Uniform	No	Yes	No	No
Others	Cotton ECO Plus, Woollens, Tub Clean, Rinse+Spin, Spin Dry/Drain	Cotton ECO Plus, Woollens, Rinse+Spin, Spin Dry/Drain	Woollens, Cotton ECO Plus, Tub Clean, Spin Dry/Drain, Rinse+Spin	Cotton ECO Plus, Woollens, Rinse+Spin, Spin Dry/Drain, Tub Clean
WASH PROGRAM OPTIONS				
Steam	Yes	Yes	Yes	Yes
Prewash	Yes	Yes	Yes	Yes
Soak	Yes	Yes	Yes	Yes
Temperature Range for Hot Wash	Cold, 30°C, 40°C, 60°C, 95°C	Cold, 20°C, 30°C, 40°C, 60°C, 95°C	Cold, 20°C, 30°C, 40°C, 60°C, 95°C	Cold, 20°C, 30°C, 40°C, 60°C, 95°C
Spin Speed	No Spin, 400, 600, 800, 1000, 1200	No Spin, 400, 600, 800, 1000, 1200	No Spin, 400, 600, 800, 1000, 1200	No Spin, 400, 600, 800, 1000, 1200
Others	Extra Rinse, Time Saver, Time Delay	Extra Rinse, Time Saver, Time Delay	Extra Rinse, Time Saver, Time Delay	Extra Rinse, Time Saver, Time Delay
DIMENSIONS				
Net Weight Kg	75	75	75	75
Size (W X D X H) mm	598 X 615 X 875	598 X 606 X 875	598 X 615 X 875	598 X 615 X 875

indicates program with Steam option



	SENATOR VSS	SENATOR SXS	SENATOR PLUS SXS
CAPACITY KG RPM	8 1200	8 1200	8 1400
AESTHETICS			
Body Colour	White	Silver	Silver
Door Colour	Black with Chrome	Black with Chrome	Black with Chrome
KEY FEATURES			
Steam	Yes	Yes	Yes
Aqua Energie	Yes	Yes	Yes
Wash System 2D/3D/4D	3D	3D	4D
O2 Bubble Wash	No	No	Yes
Anti-crease Cycle	Yes	Yes	Yes
9 Swirl Wash	No	No	No
Eco Inverter Motor	No	No	No
Refresh	No	No	No
Drum Lamp	No	No	No
NUMBER OF WASH PROGRAMS	14	14	14
WASH PROGRAMS			
Express Wash/Quick Wash	Yes	Yes	Yes
Hygiene/Anti-allergen	Yes	Yes	Yes
Cradlewash® for Delicates	Yes	Yes	Yes
Baby Wear	Yes	Yes	Yes
Mixed/Daily/Soiled	Yes	Yes	Yes
Mixed Soiled+	No	No	Yes
Cotton Normal	Yes	Yes	Yes
Synthetic	Yes	Yes	Yes
Bulky/Bedding/Curtains/Duvet	Yes	Yes	Yes
Refresh	No	No	No
Sports Wear/Fitness Wear	Yes	Yes	No
Uniform	Yes	Yes	No
Others	Cotton ECO Plus, Woollens, Rinse+Spin, Spin Dry/Drain	Cotton ECO Plus, Woollens, Rinse+Spin, Spin Dry/Drain	Woollens, Cotton ECO Plus, Tub Clean, Spin Dry/Drain, Rinse+Spin
WASH PROGRAM OPTIONS			
Steam	Yes	Yes	Yes
Prewash	Yes	Yes	Yes
Soak	Yes	Yes	Yes
Temperature Range for Hot Wash	Cold, 20°C, 30°C, 40°C, 60°C, 95°C	Cold, 20°C, 30°C, 40°C, 60°C, 95°C	Cold, 20°C, 30°C, 40°C, 60°C, 95°C
Spin Speed	No Spin, 400, 600, 800, 1000, 1200	No Spin, 400, 600, 800, 1000, 1200	No Spin, 400, 600, 800, 1000, 1200, 1400
Others	Extra Rinse, Time Saver, Time Delay	Extra Rinse, Time Saver, Time Delay	Extra Rinse, Time Saver, Time Delay
DIMENSIONS			
Net Weight Kg	75	75	75
Size (W X D X H) mm	598 X 606 X 875	598 X 606 X 875	598 X 615 X 875

SAFETY FEATURES Child Lock, High-Low Voltage Protection, Self Diagnosis, Auto Imbalance Control, Protective Rat Mesh, Foam Detection, Auto Restart

	SENATOR WSS STEAM	EXECUTIVE SMART SXS	EXECUTIVE SXS	EXECUTIVE PLUS MXS	EXECUTIVE PLUS MSS ID
CAPACITY KG RPM	8 1400	9 1400	9 1400	9 1400	9 1400
AESTHETICS					
Body Colour	Silver	Silver	Silver	Mocha	Silver
Door Colour	Black with Chrome	Black with Chrome	Black with Chrome	Black with Chrome	Metallic Silver
KEY FEATURES					
Steam	Yes	Yes	Yes	Yes	Yes
Aqua Energie	Yes	Yes	Yes	Yes	Yes
Wash System 2D/3D/4D	4D	3D	4D	4D	4D
O2 Bubble Wash	No	Yes	No	No	No
Anti-crease Cycle	Yes	Yes	Yes	Yes	Yes
9 Swirl Wash	No	No	No	No	Yes
Eco Inverter Motor	No	No	No	No	Yes
Refresh	Yes	Yes	No	Yes	Yes
Drum Lamp	No	Yes	No	No	No
NUMBER OF WASH PROGRAMS	14	28	14	14	14
WASH PROGRAMS					
Express Wash/Quick Wash	Yes	Yes	Yes	Yes	Yes
Hygiene/Anti-allergen	Yes	Yes	Yes	Yes	Yes
Cradlewash® for Delicates	Yes	Yes	Yes	Yes	Yes
Baby Wear	Yes	Yes	Yes	Yes	Yes
Mixed/Daily/Soiled	Yes	No	Yes	Yes	No
Mixed Soiled+	No	Yes	Yes	No	Yes
Cotton Normal	Yes	Yes	Yes	Yes	Yes
Synthetic	Yes	Yes	Yes	Yes	Yes
Bulky/Bedding/Curtains/Duvet	Yes	Yes	Yes	Yes	Yes
Refresh	Yes	Yes	No	Yes	Yes
Sports Wear/Fitness Wear	No	Yes	No	No	No
Uniform	No	Yes	No	No	Yes
Others	Power Steam, Wool, Cotton ECO Plus, Rinse/Spin Dry, Tub Clean	Woollens, Rinse+Spin, Spin Dry/Drain, Tub Clean, Cotton ECO Plus, Demo, Silk Special, Lingerie, Dark Wash, Daily Wash, Cotton Whites, Shirt, Sanitary, Pet Hair, Repeat wash, Jeans, Soft toys, Starch, Cotton Coloured	Woollens, Cotton ECO Plus, Tub Clean, Spin Dry/Drain, Rinse+Spin	Power Steam, Wool, Rinse+Spin, Tub Clean, Cotton Eco Plus, SpinDry/Drain	Power Steam, Rinse+Spin, SpinDry/Drain, Woollens, Tub Clean
WASH PROGRAM OPTIONS					
Steam	Yes	Yes	Yes	Yes	Yes
Prewash	Yes	Yes	Yes	Yes	Yes
Soak	Yes	Yes	Yes	Yes	Yes
Temperature Range for Hot Wash	Cold, 20°C, 30°C, 40°C, 60°C, 95°C	Cold, 20°C, 30°C, 40°C, 60°C, 95°C	Cold, 20°C, 30°C, 40°C, 60°C, 95°C	Cold, 20°C, 30°C, 40°C, 60°C, 95°C	Cold, 20°C, 30°C, 40°C, 60°C, 95°C
Spin Speed	No Spin, 400, 600, 800, 1000, 1200, 1400	No Spin, 400, 600, 800, 1000, 1200, 1400	No Spin, 400, 600, 800, 1000, 1200, 1400	No Spin, 400, 600, 800, 1000, 1200, 1400	No Spin, 400, 600, 800, 1000, 1200, 1400
Others	Extra Rinse, Rinse Hold, Time Saver, Time Delay	Extra Rinse, Rinse Hold, Time Saver, Time Delay	Extra Rinse, Rinse Hold, Time Saver, Time Delay	Extra Rinse, Delay, Rinse Hold, Time Saver	Extra Rinse, Hot Rinse, Delay, Soilage, Favourite Cycle, Time Saver
DIMENSIONS					
Net Weight Kg	75	75	75	75	73
Size (W X D X H) mm	598 X 623 X 875	598 X 513 X 875	598 X 606 X 875	598 X 606 X 875	598 X 623 X 875

indicates program with Steam option

INTRODUCING TOP LOAD WASHERS WITH
 **POWER STEAM[®]**

99.99% germ-free
Hot wash up to 60°C

with
STAINFIGHTER[™]
Fights 44 types of tough stains




SUPERIOR WASH ACTION

A GOOD WASH IS A RESULT OF 3 THINGS—
SOAKING, WASHING & RINSING

**3D
WASH**

Uniform Soaking
and Rinsing



**360°
BI-AXIAL
ROTATION**


Tangle Free Wash

**TRIADIC
PULSATOR**

3 Step Wash Action
Scrub. Swirl. Punch


CRESCENT MOON DRUM

Creates a gentle water cushion during the wash cycle, absorbing the washing machine action and preventing fabric damage.



BIG DRUM

A larger drum ensures clothes move freely, preventing tangling and wrinkling.



EXTRA LARGE LINT FILTER

3X times better than the competition!

We deliver a lint-free wash. The filter also prevents lint from being drained into the water stream.



INBUILT WHEELS

No trolley needed!

The built-in wheels help in ease of mobility—just tilt the machine and move it!



LOW PRESSURE WATER FILL

Don't let water pressure stress you out!

IFB's lower water pressure fill technology allows the machine to run even if the water pressure is low.




AUTO RESTART

Power cuts?

No problem, as the IFB machine will resume working exactly from where it stopped.


FUNCTIONAL, CONVENIENT AND RELIABLE AT HEART



AUTO IMBALANCE CONTROL

A machine that balances itself!

If the clothes in the drum are not balanced, the sensor detects it and rearranges them till the load is balanced.



VOLTAGE PROTECTION

No shocks for you!

If the voltage goes beyond 270 V or below 150 V the machine goes into standby mode, resuming as soon as the voltage is within safe operating limits.



SMART SENSE

A machine that does the math

Automatically detects the fabric of the load and adjusts the time and water settings. Get an optimum wash and save!



AUTO DIAGNOSIS

A quick fix for non-stop washing

If there is a fault, the error code flashes on the screen. Check the error code on the IFB App for easy troubleshooting. If the issue is not fixed, register a service call directly from the app.



	TL REW 6.5 Kg Aqua	TL REG 6.5 Kg Aqua	TL RES 6.5 Kg Aqua	TL REWS 6.5 Kg Aqua
CAPACITY KG	6.5	6.5	6.5	6.5
AESTHETICS				
Body Colour	White	Medium Grey	Light Grey	White
Door Assembly	ABS Tinted Black	ABS Tinted Black	ABS Tinted Black	Glass Transparent
Program Selector Knob	No	No	No	No
KEY FEATURES				
Power Steam®	No	No	No	Yes
Heater Hot Wash for 99.99% Germ Protection	No	No	No	Yes
3D/4D Wash System for Uniform Soaking and Rinsing	3D	3D	3D	3D
Soft Closing Door	No	No	No	No
Auto Tub Clean	No	No	No	Yes
Spray Rinse	No	No	No	No
Drum Lamp	No	No	No	No
Delay Start	No	No	No	Yes
NUMBER OF WASH PROGRAMS	8	8	8	8
WASH PROGRAMS				
Power Wash	Aqua Conserve	Aqua Conserve	Aqua Conserve	Mix/Daily 🌀💧+
Smart Sense	Yes	Yes	Yes	Yes
Express	Yes	Yes	Yes	Express 30'
Jeans	Yes	Yes	Yes	Yes 🌀💧+
Delicates	Yes	Yes	Yes	Yes
Tub Clean	No	No	No	No
Hygiene+	No	No	No	No
Anti-allergen	No	No	No	No
Baby Wear	No	No	No	No
Stainfighter™	No	No	No	No
Blanket	No	No	No	No
Silent	No	No	No	No
Favorite	No	No	No	No
Sports Wear	No	No	No	No
Saree	No	No	No	No
Wash	Yes	Yes	Yes	Yes
Rinse	Yes	Yes	Yes	Yes
Spin	Yes	Yes	Yes	Yes
WASH PROGRAM OPTIONS				
Hot Wash Temperature	No	No	No	Hot/Steam
Inlet Water Temperature Selection	Cold	Cold	Cold	Cold
Water Level Selection	4	4	4	4
Wash Time Selection Mins	No	No	No	No
Soak Time Selection Mins	No	No	No	No
Rinse Time Selection Mins	No	No	No	No
Spin Time Selection Mins	No	No	No	No
Air Dry Time Selection Mins	No	No	No	No
Spray Rinse Time Selection Mins	No	No	No	No
DIMENSIONS				
Net Weight Kg	35	35	35	35
Size (W X D X H) mm	570 X 590 X 950	570 X 590 X 950	570 X 590 X 950	570 X 590 X 950

SAFETY FEATURES Auto Imbalance System, Program Memory Backup, High Low Voltage Protection, Child Lock



	TL REGS 6.5 Kg Aqua	TL R1WRS 6.5Kg Aqua	TL RSS 6.5 Kg Aqua	TL RPSS 6.5 Kg Aqua
CAPACITY KG	6.5	6.5	6.5	6.5
AESTHETICS				
Body Colour	Medium Grey	Wine Red	Light Grey	Light Grey
Door Assembly	Glass Transparent	Glass Transparent	Glass Transparent	Glass Transparent
Program Selector Knob	No	No	No	No
KEY FEATURES				
Power Steam®	Yes	Yes	No	Yes
Heater Hot Wash for 99.99% Germ Protection	Yes	Yes	No	Yes
3D/4D Wash System for Uniform Soaking and Rinsing	3D	3D	3D	3D
Soft Closing Door	No	No	No	No
Auto Tub Clean	Yes	Yes	Yes	Yes
Spray Rinse	No	No	Yes	Yes
Drum Lamp	No	No	No	No
Delay Start	Yes	Yes	Yes	Yes
NUMBER OF WASH PROGRAMS	8	8	9	10
WASH PROGRAMS				
Power Wash	Mix/Daily 🌀💧+	Mix/Daily 🌀💧+	Yes	Mix/Daily 🌀💧+
Smart Sense	Yes	Yes	Yes	Yes
Express	Express 30'	Express 30'	Yes	Express 30'
Jeans	Yes 🌀💧+	Yes 🌀💧+	Yes	Yes 🌀💧+
Delicates	Yes	Yes	Yes	Yes
Tub Clean	No	No	Yes	Yes
Hygiene+	No	No	No	No
Anti-allergen	No	No	No	No
Baby Wear	No	No	No	No
Stainfighter™	No	No	No	Yes
Blanket	No	No	No	No
Silent	No	No	No	No
Favorite	No	No	No	No
Sports Wear	No	No	No	No
Saree	No	No	No	No
Wash	Yes	Yes	No	No
Rinse	Yes	Yes	No	No
Spin	Yes	Yes	No	No
WASH PROGRAM OPTIONS				
Hot Wash Temperature	Hot/Steam	Hot/Steam	No	40°C, 60°C, Steam
Inlet Water Temperature Selection	Cold	Cold	Cold	Cold
Water Level Selection	4	4	8	8
Wash Time Selection Mins	No	No	3~20	3~20
Soak Time Selection Mins	No	No	38/48/58	38/48/58
Rinse Time Selection Mins	No	No	1~5	1~5
Spin Time Selection Mins	No	No	1~9	1~9
Air Dry Time Selection Mins	No	No	60~120	120
Spray Rinse Time Selection Mins	No	No	1~5	1~5
DIMENSIONS				
Net Weight Kg	35	35	35	35
Size (W X D X H) mm	570 X 590 X 950	570 X 590 X 950	570 X 590 X 950	570 X 590 X 950

🌀💧+ indicates program with Steam @ Hot Wash option



	TL R2BRS 6.5Kg Aqua	TL R2WRS 6.5Kg Aqua	TL RBR 6.5 Kg Aqua	TL SDG 6.5 Kg Aqua
CAPACITY KG	6.5	6.5	6.5	6.5
AESTHETICS				
Body Colour	Brown	Wine Red	Brown	Medium Grey
Door Assembly	Glass Transparent	Glass Transparent	Glass Transparent with Chrome Ring	Glass Tinted Parisol Grey
Program Selector Knob	No	No	Yes	No
KEY FEATURES				
Power Steam®	Yes	Yes	No	No
Heater Hot Wash for 99.99% Germ Protection	Yes	Yes	No	No
3D/4D Wash System for Uniform Soaking and Rinsing	3D	3D	3D	3D
Soft Closing Door	No	No	No	Yes
Auto Tub Clean	Yes	Yes	Yes	Yes
Spray Rinse	Yes	Yes	No	Yes
Drum Lamp	No	No	No	No
Delay Start	Yes	Yes	Yes	Yes
NUMBER OF WASH PROGRAMS	6+1*	6+1*	9	8
WASH PROGRAMS				
Power Wash	Mix/Daily	Mix/Daily	Yes	Yes
Smart Sense	Yes	Yes	Yes	Yes
Express	Express 30'	Express 30'	Yes	Yes
Jeans	Yes	Yes	Yes	Yes
Delicates	Yes	Yes	Yes	Yes
Tub Clean	Yes	Yes	Yes	Yes
Hygiene+	No	No	No	Yes
Anti-allergen	No	No	No	No
Baby Wear	No	No	No	No
Stainfighter™	Yes	Yes	No	No
Blanket	No	No	No	Yes
Silent	No	No	No	No
Favorite	No	No	No	No
Sports Wear	No	No	No	No
Saree	No	No	No	No
Wash	No	No	No	No
Rinse	No	No	No	No
Spin	No	No	No	No
WASH PROGRAM OPTIONS				
Hot Wash Temperature	40°C, 60°C, Steam	40°C, 60°C, Steam	No	No
Inlet Water Temperature Selection	Cold	Cold	Cold, Cold & Hot, Hot	Cold
Water Level Selection	8	8	8	10
Wash Time Selection Mins	3~20	3~20	3~20	3~20
Soak Time Selection Mins	38/48/58	38/48/58	No	38/48/58
Rinse Time Selection Mins	1~5	1~5	1~5	1~5
Spin Time Selection Mins	1~9	1~9	1~9	1~9
Air Dry Time Selection Mins	120	120	60~120	60~120
Spray Rinse Time Selection Mins	1~5	1~5	No	1~5
DIMENSIONS				
Net Weight Kg	35	35	37	37
Size (W X D X H) mm	570 X 590 X 950	570 X 590 X 950	570 X 590 X 950	570 X 590 X 920

SAFETY FEATURES Auto Imbalance System, Program Memory Backup, High Low Voltage Protection, Child Lock

TL SPSS 6.5 Kg Aqua	TL S1BRS 6.5 Kg Aqua	TL REG 7.0 Kg Aqua	TL RES 7.0 Kg Aqua
6.5	6.5	7.0	7.0
Light Grey Glass Tinted Parisol Grey	Brown Glass Tinted Parisol Grey	Medium Grey ABS Tinted Black	Light Grey ABS Tinted Black
No	No	No	No
Yes	Yes	No	No
Yes	Yes	No	No
3D	3D	3D	3D
Yes	Yes	No	No
Yes	Yes	No	No
Yes	Yes	No	No
No	No	No	No
Yes	Yes	No	No
8+1*	8+1*	8	8
Mix/Daily 🚿💧+	Mix/Daily 🚿💧+	Aqua Conserve	Aqua Conserve
Yes	Yes	Yes	Yes
Express 30'	Express 30'	Yes	Yes
Yes 🚿💧+	Yes 🚿💧+	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	No	No
No	No	No	No
Yes 🚿💧+	Yes 🚿💧+	No	No
No	No	No	No
Yes	Yes	No	No
Blankets (Curtains/Bulky)	Blankets (Curtains/Bulky)	No	No
No	No	No	No
No	No	No	No
No	No	No	No
No	No	No	No
No	No	Yes	Yes
No	No	Yes	Yes
No	No	Yes	Yes
40°C, 60°C, Steam	40°C, 60°C, Steam	No	No
Cold	Cold	Cold	Cold
10	10	4	4
3~20	3~20	No	No
38/48/58	38/48/58	No	No
1~5	1~5	No	No
1~9	1~9	No	No
120	120	No	No
1~5	1~5	No	No
37 570 X 590 X 920	37 570 X 590 X 920	35 570 X 590 X 950	35 570 X 590 X 950

indicates program with Steam Ⓢ Hot Wash option



	TL RESS 7.0 Kg Aqua	TL REGS 7.0 Kg Aqua	TL R1BRS 7.0Kg Aqua	TL RGS 7.0 Kg Aqua
CAPACITY KG	7.0	7.0	7.0	7.0
AESTHETICS				
Body Colour	Light Grey	Medium Grey	Brown	Medium Grey
Door Assembly	Glass Transparent	Glass Transparent	Glass Transparent	Glass Transparent
Program Selector Knob	No	No	No	No
KEY FEATURES				
Power Steam®	Yes	Yes	Yes	No
Heater Hot Wash for 99.99% Germ Protection	Yes	Yes	Yes	No
3D/4D Wash System for Uniform Soaking and Rinsing	3D	3D	3D	3D
Soft Closing Door	No	No	No	No
Auto Tub Clean	Yes	Yes	Yes	Yes
Spray Rinse	No	No	No	Yes
Drum Lamp	No	No	No	No
Delay Start	Yes	Yes	Yes	Yes
NUMBER OF WASH PROGRAMS	8	8	8	6
WASH PROGRAMS				
Power Wash	Mix/Daily	Mix/Daily	Mix/Daily	Yes
Smart Sense	Yes	Yes	Yes	Yes
Express	Express 30'	Express 30'	Express 30'	Yes
Jeans	Yes	Yes	Yes	Yes
Delicates	Yes	Yes	Yes	Yes
Tub Clean	No	No	No	Yes
Hygiene+	No	No	No	No
Anti-allergen	No	No	No	No
Baby Wear	No	No	No	No
Stainfighter™	No	No	No	No
Blanket	No	No	No	No
Silent	No	No	No	No
Favorite	No	No	No	No
Sports Wear	No	No	No	No
Saree	No	No	No	No
Wash	Yes	Yes	Yes	No
Rinse	Yes	Yes	Yes	No
Spin	Yes	Yes	Yes	No
WASH PROGRAM OPTIONS				
Hot Wash Temperature	Hot/Steam	Hot/Steam	Hot/Steam	No
Inlet Water Temperature Selection	Cold	Cold	Cold	Cold
Water Level Selection	4	4	4	8
Wash Time Selection Mins	No	No	No	3~20
Soak Time Selection Mins	No	No	No	38/48/58
Rinse Time Selection Mins	No	No	No	1~5
Spin Time Selection Mins	No	No	No	1~9
Air Dry Time Selection Mins	No	No	No	60~120
Spray Rinse Time Selection Mins	No	No	No	1~5
DIMENSIONS				
Net Weight Kg	35	35	35	37
Size (W X D X H) mm	570 X 590 X 950	570 X 590 X 950	570 X 590 X 950	570 X 590 X 950

SAFETY FEATURES Auto Imbalance System, Program Memory Backup, High Low Voltage Protection, Child Lock

	TL RPSS 7.0 Kg Aqua	TL SDS 7.0 Kg Aqua	TL S1WRS 7.0Kg Aqua	TL SPGS 7 Kg Aqua	TL R3SG 8.0Kg Aqua
7.0	7.0	7.0	7.0	7.0	8.0
Light Grey Glass Transparent	Light Grey Glass Tinted Parisol Grey	Wine Red Glass tinted Parisol Grey	Medium Grey Glass tinted Parisol Grey	Sparkle Grey Glass Transparent with Chrome Ring	
No	No	Membrane with tact switch	Yes	Yes	
Yes Yes	No No	Yes Yes	Yes Yes	No No	
3D	3D	3D	3D	3D	3D
No Yes Yes No Yes	Yes Yes Yes No Yes	Yes Yes Yes No Yes	Yes Yes Yes No Yes	No Yes Yes No Yes	No Yes No No Yes
6 +1*	8	8+1*	10+1*	6+1*	
Mix/Daily	Yes	Mix/Daily	Mix/Daily	Mix/Daily	Mix/Daily
Yes	Yes	Yes	Yes	Yes	Yes
Express 30'	Yes	Express 30'	Express 30'	Express 30'	Express 30'
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
No	No	No	No	No	No
No	No	Yes	Yes	Yes	No
No	No	No	Yes	Yes	No
Yes	No	Yes	Blankets (Curtains/Bulky)	Blankets (Curtains/Bulky)	No
No	No	No	No	No	No
No	No	No	No	My Cycle	No
No	No	No	No	No	No
No	No	No	No	No	No
No	No	No	No	No	No
No	No	No	No	No	No
No	No	No	No	No	No
40°C, 60°C, Steam	No	40°C, 60°C, Steam	40°C, 60°C, Steam	40°C, 60°C, Steam	No
Cold	Cold	Cold	Cold	Cold	Cold
8	10	10	10	8	8
3~20	3~20	3~20	3~20	3~20	3~20
38/48/58	38/48/58	38/48/58	38/48/58	38/48/58	10/20/30
1~5	1~5	1~5	1~5	1~5	1~5
1~9	1~9	1~9	1~9	1~9	1~9
120	60~120	120	120	120	60~120
1~5	1~5	1~5	1~5	1~5	No
37	37	37	37	37	38
570 X 590 X 950	570 X 590 X 920	570 X 590 X 920	570 X 590 X 920	570 X 590 X 920	570 X 590 X 950

indicates program with Steam & Hot Wash option

				
	TL SDSS 8.0 Kg Aqua	TL SBRS 8.0 Kg Aqua	TL SPLS 8.0 Kg Aqua	TL SLBS 9.0 Kg Aqua
CAPACITY KG	8.0	8.0	8.0	9.0
AESTHETICS				
Body Colour	Light Grey	Brown	Sparkle Silver	Sparkle Silver
Door Assembly	Glass tinted Parisol Grey	Glass Tinted Parisol Grey with Chrome Ring	Glass Tinted Parisol Grey with Chrome Ring	Glass Transparent
Program Selector Knob	Yes	Yes	Yes	Yes
KEY FEATURES				
Power Steam®	Yes	Yes	Yes	Yes
Heater Hot Wash for 99.99% Germ Protection	Yes	Yes	Yes	Yes
3D/4D Wash System for Uniform Soaking and Rinsing	3D	3D	3D	4D
Soft Closing Door	Yes	Yes	Yes	Yes
Auto Tub Clean	Yes	Yes	Yes	Yes
Spray Rinse	Yes	Yes	Yes	Yes
Drum Lamp	No	No	No	Yes
Delay Start	Yes	Yes	Yes	Yes
NUMBER OF WASH PROGRAMS	10+1*	10+1*	10+1*	12+1*
WASH PROGRAMS				
Power Wash	Mix/Daily  	Mix/Daily  	Mix/Daily  	Mix/Daily  
Smart Sense	Yes	Yes	Yes	Yes
Express	Express 30'	Express 30'	Express 30'	Express 30'
Jeans	Yes  	Yes  	Yes  	Yes  
Delicates	Yes	Yes	Yes	Yes
Tub Clean	Yes	Yes	Yes	Yes
Hygiene+	No	No	No	No
Anti-allergen	Yes  	Yes  	Yes  	Yes  
Baby Wear	Yes  	Yes  	Yes  	Yes  
Stainfighter™	Yes	Yes	Yes	Yes
Blanket	Blankets (Curtains/Bulky)	Blankets (Curtains/Bulky)	Blankets (Curtains/Bulky)	Blankets (Curtains/Bulky)
Silent	No	No	No	No
Favorite	My Cycle	My Cycle	My Cycle	My Cycle
Sports Wear	No	No	No	Yes  
Saree	No	No	No	Yes
Wash	No	No	No	No
Rinse	No	No	No	No
Spin	No	No	No	No
WASH PROGRAM OPTIONS				
Hot Wash Temperature	40°C, 60°C, Steam	40°C, 60°C, Steam	40°C, 60°C, Steam	40°C, 60°C, Steam
Inlet Water Temperature Selection	Cold	Cold	Cold	Cold
Water Level Selection	10	10	10	10
Wash Time Selection Mins	3~20	3~20	3~20	3~20
Soak Time Selection Mins	38/48/58	38/48/58	38/48/58	38/48/58
Rinse Time Selection Mins	1~5	1~5	1~5	1~5
Spin Time Selection Mins	1~9	1~9	1~9	1~9
Air Dry Time Selection Mins	120	120	120	60~120
Spray Rinse Time Selection Mins	1~5	1~5	1~5	1~5
DIMENSIONS				
Net Weight Kg	38	38	38	46
Size (W X D X H) mm	570 X 590 X 920	570 X 590 X 950	570 X 590 X 950	620 X 640 X 1030

SAFETY FEATURESAuto Imbalance System, Program Memory Backup, High Low Voltage Protection, Child Lock

			
TL SIBS 10.0 Kg AQUA	TL SDIN 11.0 Kg AQUA	TL SIBS 11.0 Kg AQUA	TL S4RBS 12.0 Kg AQUA
10.0	11.0	11.0	12.0
Inox	Inox	Inox	Royal Blue
Glass Transparent	Glass Transparent	Glass Transparent	Glass Transparent
Yes	Yes	Yes	Yes
Yes	No	Yes	Yes
Yes	Yes	Yes	Yes
4D	4D	4D	4D
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
12+1*	12	12+1*	12+1*
Mix/Daily  	Yes	Mix/Daily  	Mix/Daily  
Yes	Yes	Yes	Yes
Express 30'	Yes	Express 30'	Express 30'
Yes  	Yes	Yes  	Yes  
Yes	Tub Clean	Yes	Yes
Yes	No	Yes	Yes
No	No	No	No
Yes  	Yes	Yes  	Yes  
Yes  	Yes	Yes  	Yes  
Yes	Yes	Yes	Yes
Blankets (Curtains/Bulky)	Yes	Blankets (Curtains/Bulky)	Blankets (Curtains/Bulky)
No	No	No	No
My Cycle	Yes	My Cycle	My Cycle
Yes  	Yes	Yes  	Yes  
Yes	Yes	Yes	Yes
No	No	No	No
No	No	No	No
No	No	No	No
40°C, 60°C, Steam	30°C, 40°C, 60°C	40°C, 60°C, Steam	40°C, 60°C, Steam
Cold	Cold	Cold	Cold
10	10	10	10
3~20	3~20	3~20	3~20
38/48/58	38/48/58	38/48/58	38/48/58
1~5	1~5	1~5	1~5
1~9	1~9	1~9	1~9
60~120	60~120	60~120	60~120
1~5	1~5	1~5	1~5
46	46	46	46
620 X 640 X 1030	620 X 640 X 1030	620 X 640 X 1030	620 X 640 X 1030

  indicates program with Steam & Hot Wash option

LAUNDRY STACKABLE UNIT

A multi-purpose stacking unit for your washing machine and clothes dryer with a functional pull out tray.



100% CLOTHES DRYER

with rain,
comes
shine

ALL WEATHER DRYING

Winter dampness? Heavy rain?
Spring air filled with allergens?
Humidity? No worries! Enjoy the luxury
of dry clothes all year round.



ANTICREASE

Don't crease your forehead in worry!
Hot and cool air with gentle rotation and auto reverse drying
give you dry, wrinkle-free clothes that ready to wear.



NO MORE FADING


No colour issues here!
We're smarter than the sun when it comes to drying. Those
coloured clothes will be as bright once we've dried them.



PROTECTS FROM
POLLUTION



DRY IN JUST
60 MINUTES



REFRESH CYCLE



NO ALLERGIES



A perfect match



Turbo Dry EX

Turbo Dry

CAPACITY KG RPM	5.5 55	5.5 55
AESTHETICS		
Body Colour	Metallic Silver	White
Door Assembly	Silver-Gloss Finish	White-Gloss finish
Program Selector Knob	Yes	Yes
KEY FEATURES		
Hot Air Drying	Yes	Yes
Refresh Cycle	Yes	Yes
Anticrease	Yes	Yes
Flexible Placement	Yes	Yes
Lint Filter	Yes	Yes
2 Way Adjustable Air Out Flow	Top and Side	Top and Side
SAFETY FEATURES		
Safety Door Switch	Yes	Yes
Thermal Overload Protector	Yes	Yes
DRY PROGRAMS		
Mixed	Yes	Yes
Synthetics	Yes	Yes
Cotton	Yes	Yes
DRY PROGRAMS OPTIONS		
Cupboard Dry	Yes	Yes
Iron Dry	Yes	Yes
PERFORMANCE		
Drying Capability	100%	100%
Energy Consumption* kW	2.9	2.9
Cool Down Time Mins	13	13
Maximum Cycle Time Mins	180	180
TECHNICAL SPECIFICATIONS		
Motor Rating W	125	125
Heater Rating kW	1.8	1.8
Exhaust Flow Rate Volume L/sec	30	30
Power Supply V, Phase, Hz	220, Single Phase, 50	220, Single Phase, 50
DIMENSIONS		
Net Weight Kg	26	26
Size (W X D X H) mm	600 X 530 X 720	600 X 530 X 720

*Under Standard Testing Conditions



**Dine with
flair**

OVENS

Introducing countertop aesthetics and precision cooking


10-in-ONE

IFB
QUARTZ

OVEN | 28QOLCD1

40% FASTER HEATING

11 PRESET COOKING FUNCTIONS



4 QUARTZ HEATING ELEMENTS

Specially designed heating mechanism with 4 quartz tubes that heat 40% more evenly in seconds.




TURBO CONVECT FAN

Superior grilling and roasting with a concealed high speed fan that circulates hot air inside the oven via the control of a dedicated button.

11 PRESET COOKING FUNCTIONS

Now make any occasion at home even more special with delicious food to suit. Designed for convenience, these unique modes make cooking easy, aided by accessories to make it all possible.



28QOLCD1

CLASSIFICATION & DETAILS

Type	Quartz Oven
Capacity (L)	28
Installation Type	Free Standing, Countertop

AESTHETICS

Colour/Design	Dark Grey
Cavity	Enamelled Cavity
Control	Control Knob & Button

KEY FEATURES

Turbo Heater	Turbo Convection Fan
Heater	4 Quartz Heaters (2 Top & 2 Bottom)
Powerful Fan	Yes with Button
Programs	11
Pizza Function	Yes
Fast Pre Heat	Yes
Oven Light	Yes with Button
Baking Pan, Drip Tray & Grid	1 Each
Dehydrate Rack & Pizza Tray	1 & 1
Celcius to Fahrenheit	Yes

DIMENSIONS

Cavity in Cabinet Size (W x D x H) mm	475 X 398 X 296
---------------------------------------	-----------------

WARRANTY

6 Years Spare Part Support



TOAST



BAGEL



BAKE



ROAST



PIZZA



COOKIES



DEFROST



DEHYDRATE



BROIL



KEEP WARM



RE-HEAT



SPACE
SAVER



EXTRA LARGE
CAPACITY



HIGH CONTRAST
LCD DISPLAY



Can food be tasty and healthy?

Thoughtful health features such as Oil Free Cooking and Disinfect make IFB Microwave Ovens the most natural choice for your kitchen. Uncompromise on hygiene with Steam Clean, ensuring germ-free cooking and enhancing food safety for your family.

SOLO
GRILL
CONVECTION
ROTISSERIE CONVECTION
OIL FREE COOKING



MICROWAVE OVENS



Yummy and healthy
CONVECTION RECIPE



Short and sweet
SOLO RECIPE

OIL FREE COOKING

Taste the food, not the oil!

Cook using very little or no oil, enhancing the taste and nutrition of your food. Reheat, grill or bake.



360° MOTORISED ROTISSERIE

Deliciously crisp, perfect grilling every time!



ONE-TOUCH BARBEQUE

Satisfy barbecue cravings. Ideal for kebabs and tikkas.



MULTI-PURPOSE
TAWA



MULTI-PURPOSE
BAKING PLATE



AUTO COOK
MENUS



DUAL HEATER
TECHNOLOGY



GRILL MODE

Enjoy well-done pizzas, kebabs, or cakes in minutes as the double grill function works to distribute heat evenly.




YOGHURT

Enjoy creamy yoghurt at the touch of a button using a pre-set Auto Cook Menu.



FERMENTATION

Uses precise temperature settings to encourage the growth of bacterial cultures, enabling easy fermentation of doughs and batters at home.



WEIGHT DEFROST

Just enter the weight and save time!
Defrosting made easy. Enter the defrosting time and you're good to go!



GOURMET MEALS AT HOME!

Whip up your favourites in a microwave oven!
Set yourself free with a variety of recipes ready in minutes.



Scan this QR code for oil free recipes to cook in your IFB Microwave Oven.



DISINFECT

Complete germ care for dishes and little ones' essentials such as baby bottles and utensils, sterilised in minutes.



CHILD LOCK

So essential if you have kids—a safety feature that locks the keypad to prevent children from tampering with the settings.



ADJUSTABLE
POWER LEVEL



AUTO
REHEAT



POWER
SAVE





20BC5

25BC4

Convection Rotisserie 30 Free Standing	Convection Rotisserie 30 Free Standing	Convection Micro + Convection 30 Free Standing	Convection Micro + Convection 25 Free Standing
Black Stainless Steel LED	Black + Floral Design Stainless Steel LED	Metallic Silver Stainless Steel LED	Black + Floral Design Stainless Steel LED
Yes Yes Yes Weight Defrost 4 2 — Yes Yes Yes Yes 101 — 10 (110–200°C) 10 Yes Yes Yes Yes	Yes Yes Yes Weight Defrost 4 2 — Yes Yes Yes Yes 101 — 10 (110–200°C) 10 Yes Yes Yes Yes	Yes — Yes Speed Defrost 4 2 Yes — Yes Yes Yes Yes 101 — 10 (110–200°C) 10 Yes Yes Yes Yes —	Yes — Yes Weight Defrost 4 2 Yes — Yes Yes Yes Yes 101 — 10 (110–200°C) 10 Yes Yes Yes Yes Yes
Yes Yes Yes Yes	Yes Yes Yes Yes	Yes Yes Yes Yes	Yes Yes Yes Yes
Yes Digital Timer Express Cooking	Yes Digital Timer Express Cooking	Yes Digital Timer Express Cooking	Yes Yes Express Cooking
900 W	900 W	900 W	900 W
19.17 300 x 539 x 440	19.27 300 x 539 x 440	18.4 300 x 539 x 438	16 281 x 483 x 415
1 Year on Machine + 3 Years on Magnetron & Cavity + 6 Years Spare Part Support	1 Year on Machine + 3 Years on Magnetron & Cavity + 6 Years Spare Part Support	1 Year on Machine + 3 Years on Magnetron & Cavity + 6 Years Spare Part Support	1 Year on Machine + 3 Years on Magnetron & Cavity + 6 Years Spare Part Support



20BC4

20PM-MEC2B

Convection Micro + Convection 20 Free Standing	Grill Single Grill 20 Free Standing	Solo Mug Recipes 25 Free Standing	Solo Defrost 20 Counter Top	Solo Defrost 20 Counter Top
Metallic Silver Stainless Steel LED	Metallic Silver Powder Coated LED	Metallic Silver Powder Coated Yes	White Anti Bacterial Cavity —	Black Anti Bacterial Cavity —
— — — Weight Defrost 4 2 Yes — Yes — — 24 — 10 (110–200°C) 10 Yes Yes Yes —	Yes — Yes Weight Defrost — 2 Yes — Yes — — 61 — — 5 — — Yes Yes	Yes Yes Yes Weight Defrost — — Yes — — — 61 — — 5 Yes Yes Yes Yes	— — — Yes — — — — — — — — 5 — — — —	— — — Yes — — — — — — — — 5 — — — —
Yes Yes Yes Yes	Yes Yes — Yes	Yes Yes — Yes	— Yes — Yes	— Yes — Yes
Yes Digital Timer Express Cooking	Yes Yes Express Cooking	Yes Yes Quick Start	— Yes —	— Yes —
800 W	800 W	900 W	800 W	800 W
15.13 262 x 452 x 390	13.32 262 x 452 x 391	13.4 281 x 483 x 415	10.8 440 x 259 x 355	10.8 440 x 259 x 347
1 Year on Machine + 3 Years on Magnetron & Cavity + 6 Years Spare Part Support	1 Year on Machine + 3 Years on Magnetron & Cavity + 6 Years Spare Part Support	1 Year on Machine + 3 Years on Magnetron & Cavity + 6 Years Spare Part Support	1 Year on Machine + 3 Years on Magnetron & Cavity + 6 Years Spare Part Support	1 Year on Machine + 3 Years on Magnetron & Cavity + 6 Years Spare Part Support



IFB Kitchen Appliances celebrate Indian life by bringing together food, culture and family. They uncompromise on hygiene and elegance and are a welcome addition to any kitchen. Ergonomically designed IFB Built in Hobs offer single hand operation, minimising spills and splashes for a cleaner kitchen counter. Protect your family from respiratory issues with IFB Chimneys, perfect for removing smoke, odours and hazardous gases from your home. Enjoy the safety and energy efficiency of IFB Built in Ovens, which make baking, roasting or grilling a piece of cake!

CHIMNEYS



ZONAL EXTRACTION

Air intake is not trapped by oil in filters, thus reducing pressure and enhancing air inflow. Both or either of the motors can be used while cooking.



AESTHETIC FINISH

Made of glass and stainless steel, these chimneys look stunning in any kitchen.



HAND SENSOR WITH FEATHER TOUCH

Switch ON the chimney using gesture or touch controls. Avoid touching it with greasy hands.



EXTRA WIDE
SUCTION AREA



FEATHER TOUCH
CONTROLS



STAINLESS
STEEL BODY



WARRANTY



POWERFUL MOTOR

Exhausts larger volumes of air, enabling better suction of odours, fumes and heat during deep frying to keep kitchen air fresh.



HEAT CLEAN WITH OIL COLLECTOR TRAY

An inbuilt heater enables trapped oil to drip into a tray, ensuring smooth performance without having to clean the filter frequently.



DOUBLE DUCT COVER

Better Aesthetics. Enables enhanced appeal during the ducting process.



UNIFORM LIGHTING

High grade LEDs light up the area under the chimney, where the room lighting is dim.



DELAY SWITCH OFF TIMER

Keeps the kitchen Smelling Fresh. After switching OFF, the chimney stays on for 1 minute to remove any lingering food odour.



AIRFLOW INDICATOR

Monitors and displays the chimney's airflow.




DIGITAL CLOCK

Displays time of day, enabling precise cooking durations.



RECIRCULATION

Perfect for homes where air cannot be vented through a duct. An additional carbon filter absorbs pollutants and the fresh air is recirculated.





GL HC 107—90



GL HC 105—60



EC-BS 60 BF



EC1 BS HS BF



GS-T-PL



GL 14 T



GL 90 Island



OLIM BF 60 Plus



N6 BF SS/BF BL

GENERAL SPECIFICATIONS

Installation Type	Wall Mount	Wall Mount	Wall Mount	Wall Mount
Size	90 cm	60 cm	60 cm	60/90 cm
Range	Designer Filterless Chimney with Handsensor & Easy Heat Clean	Designer Filterless Chimney with Hand sensor & Easy Heat Clean	Decorative Curve Glass Autoclean Chimney	Decorative Curve Glass Autoclean Chimney
Finish	High Gloss Black Glass	High Gloss Black Glass	Black Stainless Steel + Black Glass	Black Stainless Steel + Black Glass
Controls	Hand Sensor & Feather Touch	Hand Sensor & Feather Touch	Feather Touch	Hand Sensor & Feather Touch
Display	Digital Display	Digital Display	Digital Display	Digital Display

FUNCTIONAL FEATURES


Air Flow (Max in m3/hr)	1,300 m³/hr	1,000 m³/hr	1,200 m³/hr	1,200 m³/hr
Speed	2+2 with Zonal Suction	3	3	3
Filter	Filterless	Filterless	Light Weight Baffle Filter + Oil Cup	Light Weight Baffle Filter + Oil Cup
Motor	2 x 130 W	190 W	200 W	200 W
Light	LED	LED	LED	LED
Light Power	3 W	1.5 x 2 W	1.5 x 2 W	1.5 x 2 W
Max Power Consumption	264 W/hr	193 W/hr	203 W/hr	203 W/hr
Installation Mode	Ducting	Ducting	Ducting	Ducting
Minimum Air outlet	180 mm	160 mm	150 mm	150 mm

WARRANTY

5 Years Warranty, 7 Years Spare Part Support	5 Years Warranty, 7 Years Spare Part Support	5 Years Warranty, 7 Years Spare Part Support	5 Years Warranty, 7 Years Spare Part Support
--	--	--	--

Wall Mount 60/90 cm Decorative T Shape Chimney	Wall Mount 60/90 cm Decorative Curve Glass Chimney	Island 90 cm Decorative Curve Glass Chimney	Wall Mount 60 cm Decorative Pyramid Shaped Chimney	Wall Mount 60 cm Straightline Chimney
Stainless Steel + Black Front Glass Electronic Feather Touch Controls Digital Display	Stainless Steel with Glass Electronic Feather Touch Controls Digital Display	Stainless Steel with Glass 2 Side Feather Touch Controls Digital Display	Stainless Steel with Glass Push Button Digital Display	Stainless Steel Black Powder Coated Push Button Digital Display
1,050 m³/hr 3 SS & Aluminium Cassette Filter with SS Lock 250 W LED 2 x 2 W 254 W/hr Ducting + Recirculation* 120/150 mm	1,050 m³/hr 3 SS & Aluminium Cassette Filter with SS Lock 250 W LED 2 x 2 W 254 W/hr Ducting + Recirculation* 120/150 mm	1,050 m³/hr 3 SS & Aluminium Cassette Filter with SS Lock 250 W LED 2 x 4 W 258 W/hr Ducting + Recirculation* 120/150 mm	960 m³/hr 3 Baffle 195 W LED 1.5 W 196.5 W/hr Ducting + Recirculation* 120/150 mm	570 m³/hr 3 Baffle 2 x 100 W LED 1.5 W 280 W/hr Ducting + Recirculation* 120 mm
5 Years Warranty, 7 Years Spare Part Support	5 Years Warranty, 7 Years Spare Part Support	5 Years Warranty, 7 Years Spare Part Support	5 Years Warranty, 7 Years Spare Part Support	5 Years Warranty, 7 Years Spare Part Support

* Re-circulating mode installation is optional and chargeable.



BEVELLED TEMPERED BLACK GLASS

Tastefully designed cast iron and sophisticated enamelled grids add a touch of elegance to your kitchen.

BUILT-IN HOBS




BRASS BURNERS

Durable and resistant to corrosion as well as high temperatures.



EASY CONVERTIBILITY

Built for convenience
Convertible from LPG to CNG and vice versa.



BEVELLED CAST IRON GRIDS

Sturdy and robust cast iron grids with bevelled edges to support round bottomed vessels used in Indian cooking.



METALLIC KNOBS

Burner ignition is integrated in the knob, providing durability and ensuring reliability.



MULTI-FLAME CONTROL

Turning on the hob ignites the inner ring. Each gradual turn thereafter ignites the outer rings as well.



FLAME FAILURE DEVICE (FFD) FOR HOME SAFETY

Designed to stop flammable gas going to the burner if the flame is extinguished.



LPG TO CNG
CONVERTIBLE





AUTO IGNITION



SAFE &
STURDY



WARRANTY



90-GCI5B			78-GCI3B		
GENERAL SPECIFICATIONS					
Type	Hybrid 2-in-1 Hob (Built In/Countertop)		Hybrid 2-in-1 Hob (Built In/Countertop)		
Top Dimension (WxLxH) mm	900 x 520 x 130		780 x 520 x 130		
Cutting Dimension (WxLxH) mm	820 x 475 x 60		685 x 475 x 60		
Finish	Bevelled Tempered Black Glass		Bevelled Tempered Black Glass		
Burner Type	Brass		Brass		
Number of Burners	5		3		
Flame Failure Safety Device (FFD)	No		No		
Controls	Front Knobs with Auto Ignition		Front Knobs with Auto Ignition		
Grid—Pan Support	Bevelled Cast Iron Grids		Bevelled Cast Iron Grids		
KEY FEATURES					
Convertible from LPG to CNG (and vice versa)	Yes		Yes		
Multi Flame Control in Dual Burners	Yes		Yes		
Flame Failure Safety Device (FFD)	No		No		
BURNER POSITION, TYPE & OUTPUT					
Front Left (kW)	Medium Triple Ring Burner—2.5		Large Triple Ring Burner—3.8		
Front Right (kW)	Small Single Ring Burner—1		Medium Triple Ring Burner—2.5		
Center Right (kW)	NA		NA		
Center (kW)	Large Triple Ring Burner—3.8		NA		
Center Top (kW)	NA		NA		
Back Left (kW)	Medium Double Ring Burner—1.5		Small Double Ring Burner—1.5		
Back Right (kW)	Large Double Ring Burner—2.2		NA		
WARRANTY*	5 Years		5 Years		

*Refer to the detailed Warranty terms in the User Manual.


60-GCI13B			60-40-GCI4B			FB-60-01-GCI4B-FFD		
Hybrid 2-in-1 Hob (Built In/Countertop)			Hybrid 2-in-1 Hob (Built In/Countertop)			Hybrid 2-in-1 Hob (Built In/Countertop)		
600 x 520 x 130			600 x 520 x 130			600 x 520 x 130		
555 x 475 x 60			555 x 475 x 60			555 x 475 x 60		
Bevelled Tempered Black Glass			Bevelled Tempered Black Glass			Bevelled Tempered Black Glass		
Brass			Brass			Brass		
3			4			4		
No			No			Yes		
Front Knobs with Auto Ignition			Front Knobs with Auto Ignition			Front Knobs with Auto Ignition		
Bevelled Cast Iron Grids			Bevelled Cast Iron Grids			Bevelled Cast Iron Grids		
Yes			Yes			Yes		
Yes			Yes			Yes		
No			No			Yes		
Small Double Ring Burner—1.5 NA Large Triple Ring Burner—3.8 NA NA Medium Double Ring Burner—2.2 NA			Large Triple Ring Burner—3.8 Small Single Ring Burner—1 NA NA NA Small Double Ring Burner—1.5 Medium Double Ring Burner—2.2			Medium Triple Ring Burner—2.5 Small Single Ring Burner—1 NA NA NA Small Double Ring Burner—1.5 Small Double Ring Burner—1.5		
5 Years			5 Years			5 Years		

BUILT-IN-OVENS




SUPER GRILL

Enables cooking of exceptionally crispy meat dishes, especially poultry.



POWERFUL FAN

A 6-blade fan circulates hot air inside the oven.



13 PROGRAMS

Specially designed cooking program for grilling, roasting and baking.



TURBO HEATER & FAN

The turbo heater and fan (ring heater) generate hot air that gently circulates inside the oven.



GLASS THERMAL INSULATION

Three glass layers, including an inner thermo-reflective glass, ensure the front glass is cool to the touch.



CLEAR GLASS DOOR WITH STAINLESS STEEL RIM

An aesthetic design enables monitoring of cooking without opening the oven door.



REMOVABLE TRIPLE GLASS

An easily removable clip makes cleaning the inner glass easy.




FAST PRE HEAT

Starts at the perfect temperature. Instant preheat with superior heaters for efficient cooking results.



ROTISSERIE

Enjoy roasts and grills with the same authentic flavour of dishes slowly turned on a wood fire.



SIDE LADDERS

Chrome side ladders securely hold baking trays and enable easy removal. They can be easily disassembled and washed.



360° TRUE CONVECTION

Uses a combination of turbo heater, double heaters, rotisserie and a powerful fan to enable uniform baking.



IFB SPICE SECRETS

Set yourself free with a variety of recipes ready in minutes. Whip up your favourites in a built-in hob!



DRIP PAN & GRID



TANGENTIAL VENTILATION



EASY MAINTENANCE



 **MEAT PROBE**
for perfect dishes



 **OVEN LIGHT**
better visibility



 **FAST PRE HEAT**
starts at the perfect temperature



656 MTC/E-RCT



656 ETC/E-RCT



656 FTC B/E-RCT

GENERAL SPECIFICATIONS

Size
Capacity

60cm
58 Ltr

60cm
58 Ltr

60cm
69 Ltr

AESTHETICS

Cavity

Knobs
Handle
Control

Easy to Clean
Enamelled Cavity

Pop Up Knobs x 3
Metal
Mechanical

Easy to Clean
Enamelled Cavity

Pop Up Knobs x 3
Metal
Digital Timer, Thermostat
& Mechanical Programmer

Easy to Clean
Enamelled Cavity
Feature Touch Control
Metal
Full Touch Control

FUNCTION/FEATURES

Programs
Turbo Heater
Rotisserie
Vest Fry
Convection
Door Glass
Easy to Remove Inner Glass
Oven Light
Side Rack Chrome Finish
Easy to Remove
Meat Probe
Pizza Function
Fast Pre Heating
Tangential Fan (Cooling Fan)
Child Lock
Dripping Pan & Grid
Energy Class
Cabinet Cavity Dimension
(H x W x D) mm

7
Yes
Yes
No
Yes
Triple
Yes
Yes
Yes
NA
Yes
Yes
Yes
Yes
NA
1 Drip Pan & 2 Grids
A
590 x 560 x 560

11
Yes
Yes
No
Yes
Triple
Yes
Yes
Yes
NA
Yes
Yes
Yes
Yes
NA
1 Drip Pan & 2 Grids
A
590 x 560 x 560

13
Yes
Yes
Yes
Yes
Triple
Yes
Yes
Yes
Yes
Yes
Yes
Yes
Yes
Yes
1 Drip Pan & 2 Grids
A
590 x 560 x 560

WARRANTY

1 Year Warranty,
7 Years Spare :Part Support

1 Year Warranty,
7 Years Spare :Part Support

1 Year Warranty,
7 Years Spare :Part Support



LPG TO CNG
CONVERTIBLE



CHILD LOCK



A CLASS
ENERGY
EFFICIENCY



WARRANTY



GENERAL SPECIFICATIONS

Type
Number of Place Settings
Number of Programs
Control Type
Temperatures (°C)
Hidden Heating Element
Overflow & Leakage Protection
Heater Protection

Fully Integrated
12
9
Fully Electronic
Auto-30-40-50-60-70
Yes
Yes
Yes

USER INTERFACE

Program Selection Button
Prewash Button
Delay Timer Button
Half Load (with 3 modes)
Delay Start (19 Hr, Remaining Time)
Rinse Aid Indicator
Salt Indicator
End of Cycle Indicator
Buzzer

Yes
Yes
Yes
Yes
Yes
Yes
Yes
Yes
Yes

PROGRAMS

Prewash
Eco 50°C
Quick 30–40
Auto Delicate 30–50
Auto Normal 50–60
Auto Intensive 60–70
Hygiene 60°C
Extra Hygiene 70°C (Prewash+Hygiene 60°C)

Yes
Yes
Yes
Yes
Yes
Yes
Yes
Yes

PERFORMANCE

Water Consumption (Ltr)
Program Duration (min)
Energy Consumption (kWh)
Voltage (V)/Frequency (Hz)

13
170
1.05
220–240/50

PRODUCT DIMENSIONS

Dimensions (W X D X H) mm
Height Adjustable
Built In Cabinet Dimensions (W X D X H) mm
Height Adjustable

PRODUCT DIMENSIONS

596 x 550 x 815–870
600 x 600 x 815–870

34BIC1

GENERAL SPECIFICATIONS

Type
Size
Capacity

Built-in Microwave
60 cm
34 Ltr

AESTHETICS

Cavity
Knobs
Control

SS
Yes
Full Touch Control & Knob

FUNCTION/FEATURES

Grill
Covection
Defrost
Auto Cook Menus


Yes
Yes
Yes
10—Bake Potatoes, Coffee, Popcorn, Auto Reheat, Spaghetti, Pizza, Chicken, Cake, Auto Defrost, Keep Warm

Convection Cooking Temperature Setting
Convection Cooking Temperature Setting—Microwave+Grill
Combination Cooking Setting—Microwave+Convection
Multiple Stage Cooking
Digital Clock
Child Lock
Express Cooking
Cabinet Cavity Dimension (H x W x D) mm
Power Plug
Smart Features

10—110°C, 120°C, 130°C, 140°C, 150°C
160°C, 170°C,180°C, 190°C, 200°C
2
3
3
12/24 Hour System
Yes
Yes
380 x 560 x 550
16 Amp
In case of a short circuit, or if the cavity temperature reaches 300°C, the oven automatically enters self protection mode

WARRANTY

1 Year Comprehensive Warranty, 3 Years Warranty on Magnetron & Cavity, 6 Years Spare Part Support



MADE FOR
INDIAN KITCHENS

EXTRA
HYGIENE 70°C

DELAY
START

MULTI-STAGE
COOKING


EXPRESS
COOKING

5
POWER
LEVELS



Specially built to suit Indian kitchens, cuisines and preferences, IFB Dishwashers' advanced programs uncompromise on water, energy and detergent savings. Use them to wash off oil and masala stains. They are perfect for everything from kadhais to crockery. Have more time to paint your indulgences in lifelike colours.

DISHWASHERS



 **360° WASH & DRY WITH POWER STEAM**
A powerful 360° steam jet spray enables better absorption of the detergent into utensils to remove oil-based stains more effectively. Steam also aids in better drying.



 **SMART SENSOR**
Starts washing at a pre-set time, automatically detects food particles and adjusts the program, duration and intensity accordingly.



 **JET WASH**
Moistens tough stains, making them easier to remove from dishes and utensils. The perfect option for lightly soiled loads.

 PERFECT FOR INDIAN AND INTERNATIONAL UTENSILS	 DELAY START	 PRE-WASH	 WARRANTY
---	---	--	--



LARGEST CAPACITY

Washes and dries everything from kadhais to crockery. Perfect for a family of up to 7 people.



360° SPRAY ACTION

Two large 360° spray arms and a wide angle shower ensure water covers every corner of the utensils.

...load a Tab!



Dishwashing

+



Shine
Booster

+



Lemon
Fragrance

*Use with Autodish Rinse Aid for best results.

All-in-1 Dish Care*



ECO SAVINGS

Uses 9 L of water in Eco Mode compared to hand washing, which uses a minimum of 75 L.



HOT WATER WASH

Kills 99.99% germs using 70°C hot water. Perfect for sanitising baby bottles and utensils. A prewash at 50°C followed by a wash at 70°C.



Neptune SX1



Neptune VX1 Plus




Neptune VX1



Neptune FX 1

KEY FEATURES

Place Settings	15	15	12/13	12/13
Warranty	2 Years Warranty + 8 Years Spare Parts Support	2 Years Warranty + 8 Years Spare Parts Support	2 Years Warranty + 8 Years Spare Parts Support	2 Years Warranty + 8 Years Spare Parts Support
Door Colour & Finish	Smudge Proof Pearl Grey SS	Inox grey SS	Graphite Grey SS	White SS
Cavity	100% Stainless Steel	100% Stainless Steel	100% Stainless Steel	100% Stainless Steel
Control Panel	Digital Display	Digital Display	Digital Display	Digital Display
Programs & Functions	8 Wash Cycles +5 Options	8 Wash Cycles +6 Options	8 Wash Cycles +6 Options	5 Wash Cycles +3 Options
Wash & Dry Technology	360° Jet Wash & Dry with Power Steam	360° Jet Wash & Dry with Power Steam	360° Jet Wash & Dry with Power Steam	360° Jet Wash & Dry with Power Steam
Wash Modes	Full & Flexi Half Load	Full & Flexi Half Load	Full & Flexi Half Load	Full & Flexi Half Load
Interior Cavity Light	Yes	—	—	—
Smart Sense Wash	Yes	Yes	Yes	—
In Built Water Softening Device (Works Up to 800 PPM)	Yes	Yes	Yes	Yes
Cutlery Placement	3rd Cutlery Tray	3rd Cutlery Tray	Removable Cutlery Basket	Removable Cutlery Basket
Basket Height Adjustment	Flexiheight	Flexiheight	Flexiheight	Manual roller height adjustment
Folding Plate Wires/ prong/tines	Flexitines	Flexitines	Flexitines	Flexitines
Folding Mug Holders	Yes	Yes	Yes	Yes
Active Anti Microbial Filter	Yes	Yes	Yes	Yes
Self Cleaning	Yes	Yes	Yes	Yes
Delay Start	Yes	Yes	Yes	Yes
Active Memory	Yes	Yes	Yes	Yes
Child Lock	Yes	Yes	Yes	Yes
Fault Diagnoses	Yes	Yes	Yes	Yes
Overflow and Leakage Protection	Yes	Yes	Yes	Yes
HV LV Protection	Yes	Yes	Yes	Yes
Visual Indicators	Wash Stage, Rinse Aid Refill & Salt Refill	Wash Stage, Rinse Aid Refill & Salt Refill	Wash Stage, Rinse Aid Refill & Salt Refill	Wash Stage, Rinse Aid Refill & Salt Refill
Eco* Cycle Consumption	0.907kWh/12L/49dB	0.907kWh/12L/49dB	0.907kWh/12L/49dB	0.907kWh/12L/49dB
Power Supply	220–240V, 50hz	220–240V, 50hz	220–240V, 50hz	220–240V, 50hz
Maximum Wattage	2,000 W	1,900 W	1,900 W	1,900 W
Water Connection	3/4th Inch Threaded Inlet (0.3-10bar)	3/4th Inch Threaded Inlet (0.3-10bar)	3/4th Inch Threaded Inlet (0.3-10bar)	3/4th Inch Threaded Inlet (0.3-10bar)
Size (W X D X H) mm	596 × 598 × 850	596 × 598 × 850	596 × 598 × 850	596 × 598 × 850




Breathe
with ease

IFFB FASTCOOL

THE HEAVY DUTY AIR CONDITIONER

7 STAGE AIR TREATMENT

Did you know that indoor air is 2.5 to 5 times more polluted than outdoor air? Sprays, dust, microbes, odours and so many more pollutants are found in indoor air. That's why you need thorough filtration. Our unique 7 Stage Air Treatment removes smoke, dust, chemicals, gases and micro organisms from indoor air while infusing it with Vitamin C and a selection of aromas. Give your home a fresher feel!



*In select models only ** Optional



SMART AC—FULL CONTROL ANYTIME, ANYWHERE

On your way back from work and want to return to a cool room?
Bring home a Smart AC that can be controlled through the MyIFB App anytime from anywhere. Control and monitor all of your AC's features—ON/OFF, select mode and set ON time.

GEOGRAPHIC LOCATION BASED AUTO CONTROL


An AC that automatically turns on!
You can program the AC to turn on when you are within 5 km (or closer) to it. Auto Geo Sensing Technology makes this possible*.



*Compatible only with IFB IQ models.

INDIVIDUAL SETTINGS, SAVED

What to do when different family members want different cooling settings?
Save multiple AC Setting Profiles as Favourites in the App. Start cooling with a single click!



WORKS WITH VOICE COMMANDS

Want touch free operation?
Your Smart AC can be configured with Amazon Alexa or Google Assist, allowing you to control it with voice commands. You can also raise service complaints and track them.



TWIN ROTARY HD COMPRESSOR WORKS UP TO 58°C*

How can you stay comfortable on the hottest day of the year?
IFB FastCool ACs with Twin Rotary Heavy Duty Technology have varied speed compressors that for faster cooling and more savings. Stay cool even when the ambient temperature touches 58°C.



- COOLS FAST
- EASY COMFORT
- ENERGY SAVINGS



8-IN-1 FLEXI MODE COOLING

Feeling too hot or too cold or just not comfortable?
Adjust your AC's cooling capacity while saving energy. You can step it down by up to 40% to stay comfortable. If it's too hot, you can increase the capacity to 120% for faster cooling.

- 7 people
- 5 people
- 4 people
- 3 people
- 2 people
- 1 person
- AUTO
- NIGHT

*In select models.

IG Series



	CI1831G223G5	CI2041G323G1	CI1931G223G1	CI2431G323G2
CAPACITY				
Star Rating	3	4	3	3
Cooling (Watt) Rated	5000	5210W	5375W	6200W
Cooling (Watt) Min~Max	1900~ 5400	1700~6000	1000~5650	1800~ 6500
Current (A) Rated	7.4	6.5	7.8	9.2
ISEER W/W	3.85	4.65	3.84	3.98
CSEC	1005.73	867.16	1083.54	1206.5
CSTL	3870.46	4033.01	4160.74	4799.36
Compressor Type	Single Rotary	Single Rotary	Twin Rotary	Single Rotary
Refrigerant	R32	R32	R32	R32
Condenser Tubes	Copper	Copper	Copper	Copper
Condenser Fins	Gold	Gold	Gold	Gold
Rapid Cooling	Yes	Yes	Yes	Yes
Operation @ STD Condition	55°C	55°C	58°C	55°C
INDOOR UNIT				
Noise Level db (A) (Low)	35	39	35	39
Air Flow CMH (Turbo)	800	1050	800	1050
Dimensions WxDxH (mm)	900 x 294 x 206	1010 x 316 x 220	900 x 294 x 206	1010 x 316 x 220
Net Weight (Kg)	11	13	11	14
Gross Weight (Kg)	13	15	13	16
OUTDOOR UNIT				
Dimensions W X D X H (mm)	780 x 292 x 603	780 x 292 x 603	780 x 292 x 603	780 x 292 x 603
Net Weight (Kg)	28	31	31	31
Gross Weight (Kg)	31	34	34	34
MAXIMUM PIPING LENGTH				
Total (Ft)	15	15	15	15
Vertical (Ft)	5	5	5	5
SPECIAL FEATURES				
Air Flow Direction	4 Way	4 Way	4 Way	4 Way
Flexi 8 in 1	Yes	Yes	Yes	Yes
Amb Temp	Yes	Yes	Yes	Yes
Sleep	Yes	Yes	Yes	Yes
24 Degree Auto Set	Yes	Yes	Yes	Yes
Wi-Fi Compatible	Yes	Yes	Yes	Yes
HEALTH FEATURES				
PM 0.3 Filter	Yes	Yes	Yes	Yes
Active Carbon Filter	Yes	Yes	Yes	Yes
Anti Bacterial Filter	Yes	Yes	Yes	Yes
Vitamin C Diffuser	Yes	Yes	Yes	Yes
Catechin Filter	Yes	Yes	Yes	Yes
Anti Mildew	Yes	Yes	Yes	Yes
OTHER FEATURES				
Aerodynamic Blower	Yes	Yes	Yes	Yes
Heavy Duty Compressor	Yes	Yes	Yes	Yes

IG Series



	IACI24GB3G3C
CAPACITY	
Star Rating	3
Cooling (Watt) Rated	6500W
Cooling (Watt) Min~Max	1300~6700
Current (A) Rated	9.7
ISEER W/W	3.88
CSEC	1296.25
CSTL	5031.59
Compressor Type	Twin Rotary
Refrigerant	R32
Condenser Tubes	Copper
Condenser Fins	Gold
Rapid Cooling	Yes
Operation @ STD Condition	58°C
INDOOR UNIT	
Noise Level db (A) (Low)	39
Air Flow CMH (Turbo)	1050
Dimensions WxDxH (mm)	1010 x 316 x 220
Net Weight (Kg)	14
Gross Weight (Kg)	16
OUTDOOR UNIT	
Dimensions W X D X H (mm)	780 x 292 x 603
Net Weight (Kg)	32
Gross Weight (Kg)	35
MAXIMUM PIPING LENGTH	
Total (Ft)	15
Vertical (Ft)	5
SPECIAL FEATURES	
Air Flow Direction	4 Way
Flexi 8 in 1	NO
Amb Temp	NO
Sleep	Yes
24 Degree Auto Set	Yes
Wi-Fi Compatible	NO
HEALTH FEATURES	
PM 0.3 Filter	Yes
Active Carbon Filter	Yes
Anti Bacterial Filter	Yes
Vitamin C Diffuser	Yes
Catechin Filter	Yes
Anti Mildew	NA
OTHER FEATURES	
Aerodynamic Blower	Yes
Heavy Duty Compressor	Yes



R32 GREEN GAS

Love the planet?
So do we! R32 is a highly efficient, earth friendly refrigerant, with a lower global warming potential than R410a, a commonly found domestic AC refrigerant.

2C Series



	CI1322C113G1	CI1832C223G5	CI2432C323G2
CAPACITY			
Star Rating	2	3	3
Cooling (Watt) Rated	3600W	5000W	6200W
Cooling (Watt) Min~Max	1280~3800	1900~5400	1800~6500
Current (A) Rated	5.5	7.4	9.2
ISEER W/W	3.60	3.85	3.98
CSEC	773.19	1005.73	1206.5
CSTL	2786.73	3870.46	4799.36
Compressor Type	Single Rotary	Single Rotary	Single Rotary
Refrigerant	R32	R32	R32
Condenser Tubes	Copper	Copper	Copper
Condenser Fins	Gold	Gold	Gold
Rapid Cooling	Yes	Yes	Yes
Operation @ STD Condition	55°C	55°C	55°C
INDOOR UNIT			
Noise Level db (A) (Low)	32	35	39
Air Flow CMH (Turbo)	460	800	1050
Dimensions WxDxH (mm)	770 x 250 x 205	900 x 294 x 206	1010 x 316 x 220
Net Weight (Kg)	9	11	14
Gross Weight (Kg)	10	13	16
OUTDOOR UNIT			
Dimensions W X D X H (mm)	728 x 256 x 553	780 x 292 x 603	780 x 292 x 603
Net Weight (Kg)	24	28	31
Gross Weight (Kg)	27	31	34
MAXIMUM PIPING LENGTH			
Total (Ft)	15	15	15
Vertical (Ft)	5	5	5
SPECIAL FEATURES			
Air Flow Direction	4 Way	4 Way	4 Way
Flexi 8 in 1	Yes	Yes	Yes
Amb Temp	Yes	Yes	Yes
Sleep	Yes	Yes	Yes
24 Degree Auto Set	Yes	Yes	Yes
Wi-Fi Compatible	Yes	Yes	Yes
HEALTH FEATURES			
PM 0.3 Filter	Yes	Yes	Yes
Active Carbon Filter	Yes	Yes	Yes
Anti Bacterial Filter	No	No	No
Vitamin C Diffuser	No	No	No
Catechin Filter	No	No	No
Anti Mildew	Yes	Yes	Yes
OTHER FEATURES			
Aerodynamic Blower	Yes	Yes	Yes
Heavy Duty Compressor	Yes	Yes	Yes

4X Series



	CI1324X113G1	CI1834X223G5	CI2434X323G2
CAPACITY			
Star Rating	2	3	3
Cooling (Watt) Rated	3600W	5000W	6200W
Cooling (Watt) Min~Max	1280~3800	1900~5400	1800~6500
Current (A) Rated	5.5	7.4	9.2
ISEER W/W	3.60	3.85	3.98
CSEC	773.19	1005.73	1206.5
CSTL	2786.73	3870.46	4799.36
Compressor Type	Single Rotary	Single Rotary	Single Rotary
Refrigerant	R32	R32	R32
Condenser Tubes	Copper	Copper	Copper
Condenser Fins	Gold	Gold	Gold
Rapid Cooling	Yes	Yes	Yes
Operation @ STD Condition	55°C	55°C	55°C
INDOOR UNIT			
Noise Level db (A) (Low)	32	35	39
Air Flow CMH (Turbo)	460	800	1050
Dimensions WxDxH (mm)	770 x 250 x 205	900 x 294 x 206	1010 x 316 x 220
Net Weight (Kg)	8	10	13
Gross Weight (Kg)	10	12	16
OUTDOOR UNIT			
Dimensions W X D X H (mm)	728 x 256 x 553	780 x 292 x 603	780 x 292 x 603
Net Weight (Kg)	23	27	30
Gross Weight (Kg)	26	30	33
MAXIMUM PIPING LENGTH			
Total (Ft)	15	15	15
Vertical (Ft)	5	5	5
SPECIAL FEATURES			
Air Flow Direction	4 Way	4 Way	4 Way
Flexi 8 in 1	Yes	Yes	Yes
Amb Temp	Yes	Yes	Yes
Sleep	Yes	Yes	Yes
24 Degree Auto Set	Yes	Yes	Yes
Wi-Fi Compatible	Yes	Yes	Yes
HEALTH FEATURES			
PM 0.3 Filter	No	No	No
Active Carbon Filter	No	No	No
Anti Bacterial Filter	No	No	No
Vitamin C Diffuser	No	No	No
Catechin Filter	No	No	No
Anti Mildew	Yes	Yes	Yes
OTHER FEATURES			
Aerodynamic Blower	Yes	Yes	Yes
Heavy Duty Compressor	Yes	Yes	Yes

3A Series




	CI1833A223G5	CI2043A323G1	CI1933A223G1	CI2433A323G2
CAPACITY				
Star Rating	3	4	3	3
Cooling (Watt) Rated	5000W	5210W	5375W	6200W
Cooling (Watt) Min~Max	1900~5400	1700~6000	1000W~5650W	1800~6500
Current (A) Rated	7.4	6.5	7.8	9.2
ISEER W/W	3.85	4.65	3.84	3.98
CSEC	1005.73	867.16	1083.54	1206.5
CSTL	3870.46	4033.01	4160.74	4799.36
Compressor Type	Single Rotary	Single Rotary	Twin Rotary	Single Rotary
Refrigerant	R32	R32	R32	R32
Condenser Tubes	Copper	Copper	Copper	Copper
Condenser Fins	Gold	Gold	Gold	Gold
Rapid Cooling	Yes	Yes	Yes	Yes
Operation @ STD Condition	55°C	55°C	58°C	55°C
INDOOR UNIT				
Noise Level db (A) (Low)	35	39	35	39
Air Flow CMH (Turbo)	800	1050	800	1050
Dimensions WxDxH (mm)	900 x 294 x 206	1010 x 316 x 220	900 x 294 x 206	1010 x 316 x 220
Net Weight (Kg)	11	13	11	14
Gross Weight (Kg)	13	15	13	16
OUTDOOR UNIT				
Dimensions W X D X H (mm)	780 x 292 x 603	780 x 292 x 603	780 x 292 x 603	780 x 292 x 603
Net Weight (Kg)	28	31	31	31
Gross Weight (Kg)	31	34	34	34
MAXIMUM PIPING LENGTH				
Total (Ft)	15	15	15	15
Vertical (Ft)	5	5	5	5
SPECIAL FEATURES				
Air Flow Direction	4 Way	4 Way	4 Way	4 Way
Flexi 8 in 1	Yes	Yes	Yes	Yes
Amb Temp	Yes	Yes	Yes	Yes
Sleep	Yes	Yes	Yes	Yes
24 Degree Auto Set	Yes	Yes	Yes	Yes
Wi-Fi Compatible	Yes	Yes	Yes	Yes
HEALTH FEATURES				
PM 0.3 Filter	Yes	Yes	Yes	Yes
Active Carbon Filter	Yes	Yes	Yes	Yes
Anti Bacterial Filter	No	No	No	No
Vitamin C Diffuser	No	No	No	No
Catechin Filter	No	No	No	No
Anti Mildew	Yes	Yes	Yes	Yes
OTHER FEATURES				
Aerodynamic Blower	Yes	Yes	Yes	Yes
Heavy Duty Compressor	Yes	Yes	Yes	Yes

AUTOMOTIVE GRADE
WEATHERPROOF
COATING

A rust resistant shield for longevity

The ODU and stand are painted with a unique high temperature silver powder coating to protect them from weather, pollution and environmental stresses such as rain, dust and UV sunlight.



uncompromise

- ✓ fabric care
- ✓ dish care
- ✓ machine care
- ✓ hygiene care
- ✓ air care

- ✓ wash
- ✓ condition
- ✓ remove stains
- ✓ add fragrance
- ✓ shine
- ✓ sparkle
- ✓ rinse
- ✓ clean
- ✓ descale
- ✓ purify
- ✓ protect
- ✓ sanitise

Fabric Care



FLUFF Fabric Conditioner
A pH balanced formula to give your clothes the freshness of lush, green meadows.



Liquid Detergent for **WOOLLENS & SILKS**
Scarves, saris, shawls, sweaters and blankets, keep woollens soft and silks smooth.



SUNFRESH ALL-IN-1 DRYER CARE
Deodorises your dryer and infuses freshness to clean clothes.



FLUFF Front Load Liquid Detergent
An environmentally-friendly, liquid detergent specially formulated for front load washing machines.



COLOUR & DIRT CATCHER
A special formula that protects against colour bleeds and dirt, letting you wash mixed loads.



SENSORA Ocean Mist Fragrance Booster
An in-wash fragrance booster that imparts a soothing ocean scent to your clothes.



SENSORA Morning Dew Fragrance Booster
An in-wash fragrance booster that imparts a dewy fresh scent to your clothes.



FLUFF Top Load Liquid Detergent
A pH balanced liquid detergent with a special low foam formula for top load washing machines.



FLUFF REFILL Liquid Detergent Front Load
A liquid detergent specially formulated for front load washing machines for superior wash performance.



Liquid Detergent for **WHITE FABRICS**
Duets, pristine shirts, linens, yoga pyjamas and school uniforms, make your whites dazzle!



LIMO Fabric Brightener
A special formula that makes clothes look brighter and delays their fading.



FABO Stain Remover
A special enzyme and solvent based prewash stain remover that preserves your fabrics.



FABO Stain Remover Pen
A pocket-friendly solution to get rid of stains in minutes.

Dish Care

AUTODISH Dishwashing Detergent
 A special anti-bacterial formula that removes tough stains like grease from your dishes.

AUTODISH Dishwashing Salt
 Protects your dishwasher from limescale and also softens water for a spotless wash.

Hygiene Care

SURFACE CLEANER LIQUID
 2-in-1 Kitchen Surface Disinfectant & Cleaner
 A unique formula that disinfects your countertops and kitchen surfaces to keep them sparkling clean.

SURFACE DISINFECTANT SPRAY
 Helps remove bacteria and germs from a variety of surfaces.

HAND SANITISER
 Protection in your hands. Ayurvedic formulation with aloe vera and 70% alcohol to kill 99.99% germs.

AUTODISH Rinse Aid
 Prevents water spots and streaking on your glasses and other crockery.

Dishwasher TABLETS
 All-in-1 care with Shine Boosters to tackle grease, remove stains and add a lemon scent.

TOTAL FRESH All-in-1 Dishwasher Care
 An eco-friendly dishwasher deodoriser with the goodness of natural citrus oils.

Machine Care

PROTECTA LIQUID Limescale Preventer
 Neutralises metallic compounds in hard water to prevent the formation of limescale in your appliances.

DESCAL Appliance Descaler
 Removes stubborn limescale deposits, restoring machine parts to their original condition.

MICROCLEAN Kitchen Appliance Cleaner
 A spray-on cleaner that sanitises your microwave by removing bacteria and grease.

Air Care

OCEAN FRESH Aroma Diffusers
 Infuses all-day freshness into the air with an aqua scent.

FLORAL HARMONY Aroma Diffusers
 Infuses all-day freshness into the air with a floral scent.

FLORAL HARMONY + OCEAN FRESH Aroma Diffuser Combo
 Infuses all-day freshness into the air with a floral or aqua scent.

Accessories



HI-LO Voltage Safety Device

Protects your home and appliances against high and low voltage, safeguarding them from damage.




WASHCARE BAG for Washing Machines

Protects your delicates during the wash cycle and keeps them looking great for longer.



IFB Points



TROLLEY for Front Load Washing Machines

Ensures easy accessibility, storage and movement of your washing machine.



COVER for Front Load Washing Machines*

Avoid everyday scratches, wear and tear that ruin the look of your machine

*Available for 6.5 Kg models and above.



COVER for Microwave Ovens

Avoid everyday scratches, wear and tear that ruin the look of your microwave oven.

ALL OUR PRODUCTS ARE AVAILABLE AT

www.ifbappliances.com

Check the official IFB website regularly for offers and promotions. Browse and buy IFB Home Appliances and essentials with the click of a button.

IFB POINTS

Explore our entire range of products at your nearest IFB Point. You'll find safety and hygiene protocols maintained and enjoy hassle-free transactions with the help of our dedicated sales representatives.

VALUED DEALERS

In addition, our valued dealers at various multi-brand retail outlets are also available for your shopping convenience.

DOWNLOAD/INSTALL THE MY IFB APP

Get connected—shop, be notified of the latest product launches, cook, register your appliance, avail offers, or book a service.



WHY CHOOSE IFB?

QUALITY
DURABILITY
RELIABILITY

Our products meet the highest standards of technology and performance.

SERVICE

Reach out to our trained service ambassadors 24x7—we are trusted by over 6 million customers.

IFB
CARES
for you!

2,500+
towns covered

1,120+
franchisees
across India



TAP ADAPTER for Washing Machines

Fits any tap to the inlet hose, even in the absence of a threaded faucet.



AQUA APPLIANCES

Magnetic Water Softener

Attaches seamlessly to your water tap to deliver softened water.



STABILIZER for Air Conditioners & Refrigerators

Offers superior protection for your ACs and refrigerators by ensuring steady voltage.



Microwave Oven

Built-in Oven

Dishwasher

Chimney / Built-in Hob

Top Load

Front Load

100% Clothes Dryer

Air Conditioner

TRUSTED BY OVER
6 MILLION
CUSTOMERS



+91 080 458 45678
www.ifbappliances.com

